



T H E U L T I M A T E R I D E .™

**DEPARTMENT OF VETERANS AFFAIRS**  
**FEDERAL SUPPLY SERVICE**  
**AUTHORIZED FEDERAL SUPPLY SCHEDULE PRICE LIST**

Schedule Title: Patient Mobility Devices - Includes Wheelchairs, Scooters, Walkers, Etc. (FSC Group GS, Part II, Section F)

FSC Class: 6530

Contract Number: V797P-3017m

Contract Period: 10/15/04 through 10/14/09

Contractor's Name, Address and Phone Number:

TiSport, LLC

1426 East Third Avenue  
Kennewick, WA 99337

Phone: 800-545-2266  
Fax: 866-586-2413

Contractor's Internet Address: [www.tilite.com](http://www.tilite.com)

Size of Business: Small

**INFORMATION FOR ORDERING OFFICES**

1. Table of Awarded Special Item Numbers: All items are SIN F-1, except for wheelchair seat cushions which are SIN F-5. See attached Order Forms and Price Lists for item descriptions and awarded prices.
2. Maximum Order: \$100,000.00 per item per order.
3. Minimum Order: None.
4. Geographic Coverage (delivery area): 50 states, the District of Columbia and the Commonwealth of Puerto Rico.
5. Point of Production: City of Kennewick, Benton County, State of Washington.



T H E U L T I M A T E R I D E .™

6. Basic Discount: All prices shown on the attached Order Form and Price Lists are Net (Discount Deducted).
- 7a. Quantity Discount: For each VAMC or OGA which purchases 10 or more wheelchairs in any calendar year, Contractor will automatically provide an additional discount of 8.333% off the invoice price for all purchases in the following calendar year.
- 7b. BPA/Prompt Payment Discount:

VA facilities that achieve \$50,000.00 in invoiced sales of all products (including, but not limited to, wheelchairs, all accessories (e.g., cushions), components and parts per calendar year, will receive an additional 10% off invoiced prices for all purchases in the following calendar year if payment is received within 30 days.

VA facilities that achieve \$100,000.00 in invoiced sales of all products (including, but not limited to, wheelchairs, all accessories (e.g., cushions), components and parts per calendar year, will receive an additional 20% off invoiced prices for all purchases in the following calendar year if payment is received within 30 days.

VA facilities that achieve \$150,000.00 in invoiced sales of all products (including, but not limited to, wheelchairs, all accessories (e.g., cushions), components and parts per calendar year, will receive an additional 28% off invoiced prices for all purchases in the following calendar year if payment is received within 30 days.

These BPA/Prompt Payment terms supersede the above-mentioned Quantity Discount offer.
8. Prompt Payment Terms: Net 30 days.
9. Credit Card Acceptance: Government credit cards accepted ñ no additional discount for the use of the cards.
10. Foreign Items: None.
- 11a. Time of Delivery: 11-17 days ARO; 37 days on custom orders.
- 11b. Expedited Delivery: 6-13 days ARO on all items, except for TiLite Designs Unlimited custom items, for which expedited delivery is 31-35 days ARO. Government customers are responsible for additional freight charges above regular ground delivery charges.
12. FOB Points: FOB destination for the 48 contiguous states and the District of Columbia. FOB to point of exportation for Alaska, Hawaii and the Commonwealth of Puerto Rico. Air shipments to Alaska, Hawaii and Puerto Rico will be billed for the difference between ground shipment (to the point of exportation) and air shipment.



T H E U L T I M A T E R I D E .™

13. Ordering Address: 1426 East Third Avenue, Kennewick, Washington 99337.
14. Payment Address: 1426 East Third Avenue, Kennewick, Washington 99337.
15. Warranty: See page 4.
21. List of Service and Distribution Points: 1426 East Third Avenue, Kennewick, Washington 99337.
22. List of Participating Dealers: None.
25. Data Universal Number System (DUNS) Number: 05-901-2893.

Industrial Funding Fee: Embedded

Return Goods Policy: If a wheelchair frame or any component (wheels, upholstery, etc.) delivered by Contractor is not as ordered (Contractor's error), Contractor will pay shipping back to Kennewick, WA, and will ship the correct wheelchair and/or components to the government (VA and other user of the Federal Supply Schedule) at Contractor's expense. No restocking charge will be applicable.

If a wheelchair delivered by Contractor is as ordered but one or more of the components (wheels, upholstery, etc) are incorrect (error on the part of the VA or other user of the Federal Supply Schedule), the government will pay shipping back to Contractor and will pay for the correct components to be reshipped to the government. If a refund is applicable, the refund will be equal to the original purchase price, less the 20% restocking charge. However, the restocking charge shall be waived with respect to any returned item that is not custom made to order. For purposes of this policy, (i) all TiLite Designs Unlimited components shall be deemed custom made to order and (ii) all other components shall be deemed to be custom made if the component was either manufactured by Contractor to the exact specifications of the wheelchair user or modified by Contractor to the exact specifications of the wheelchair user.

If a wheelchair frame delivered by Contractor is as ordered but is incorrect (error on the part of the VA or other user of the Federal Supply Schedule), the frame may not be exchanged or returned because each wheelchair frame is built to the exact specifications of each wheelchair user.



T H E U L T I M A T E R I D E .™

## **TILITE LIMITED WARRANTY**

### **A. FRAME - LIFETIME**

TiLite warrants the wheelchair frame (including the cross-braces in the case of folding wheelchairs) against defects in materials and workmanship for a lifetime from the date of purchase by the original purchaser.

### **B. COMPONENTS - ONE (1) YEAR**

TiLite warrants all TiLite-made wheelchair components against defects in materials and workmanship for one (1) year from the date of purchase by the original purchaser, except as provided below.

### **C. WHEEL ASSEMBLIES AND SPOKE GUARDS ñ NINETY (90) DAYS**

TiLite warrants all front and rear wheel assemblies and spoke guards on this wheelchair against defects in materials and workmanship for ninety (90) days from the date of purchase by the original purchaser, except as provided below.

### **D. LIMITATIONS**

1. This warranty does not cover:
  - a. tires and tubes for front or rear wheels, upholstery, or push-handle grips; or
  - b. damage arising from normal wear and tear or failure to adhere to procedures set forth in your wheelchair's Operating & Maintenance Manual; or
  - c. any labor or shipping charges incurred in replacement part installation or repair of this product; or
  - d. TiLite Designs Unlimited frames and frame components, unless TiLite, in its sole discretion, determines that the Designs Unlimited frame or frame component was defectively manufactured.
2. This warranty is VOID if TiLite, in its sole discretion, determines that:
  - a. the original TiLite serial number tag has been removed, altered or defaced; or
  - b. the wheelchair has been subjected to neglect, accident, improper maintenance or storage or improper operation, misuse or abuse, including, but not limited to, exceeding the maximum weight limit of 250 pounds or using the wheelchair with tie downs or locking, clamping or other restraint systems related to the use of the wheelchair in a motor vehicle; or
  - c. the wheelchair has been damaged by improper repairs or repairs made to any component without the express written consent of TiLite; or
  - d. the wheelchair has been modified without TiLite's express written consent, including, but not limited to, modification through the use of unauthorized parts or attachments.
3. This warranty applies only to the original purchaser of the wheelchair and in the USA only. Check with your dealer about international warranties.

### **F. OUR RESPONSIBILITY**

TiLite will repair or replace, in TiLite's sole discretion, the covered components of this wheelchair. In a breach of warranty action, this is the exclusive remedy for consequential or incidental damages.

### **G. YOUR RESPONSIBILITY**

If your wheelchair requires warranty service, please contact the dealer from whom you purchased your TiLite. If you do not receive satisfactory service, please write to TiLite Customer Service at 1426 E. Third Avenue, Kennewick, WA 99337-9680 or email [customerservice@tilite.com](mailto:customerservice@tilite.com).

### **H. CONSUMER NOTICE**

1. Unless prohibited by law, this warranty is in place of any other warranty (written or oral, express or implied).
2. This warranty gives you certain legal rights. You may have other rights that vary from state to state.



**B Seat Depth**

Measure from front of back post to the front edge of seat upholstery. Choose from 14" to 20" in 1" increments.

**D Rear Seat Height**

Measure from floor to top of seat tube at front of backpost. Choose from 13" to 21" in 1/2" increments.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose from 12" to 19" in 1/2" increments.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. See Page Four for available sizes.

**G Back Angle**

Measure angle from front of back post to floor. Choose 80° to 101° in 1° increments. 90° will be perpendicular to the floor.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. Choose from 1" to 6" in 1/4" increments.

**L Rear To Front Of Footrest**


Measure from front of back post to front of footrest tube. Must be at least 2-1/2" shorter than dimension M - Rear To Front Of Wing.

**M Rear To Front Caster**

Measure from front of backrest to center of caster barrel. Choose 21", 22", 23", 24" or 25".

**N Rear To Front Of Wing**

Measure from front of backrest to front of wing tube. Must be 4-1/2" to 10" greater than dimension M - Rear To Front Caster.



**A Rear Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.

**C Front Seat Height**

Measure from top of seat tube, at beginning of bend, to the floor. Choose 17" to 21" in 1/2" increments.

**I Front Seat Width**



Measure from inside of front frame tube to inside of opposite front frame tube. Choose 9" to 16" in 1" increments. Footrest Width will be the same as Front Seat Width.

**J Rear Wheel Spacing**

Measure from outside of back post to inside top of rear tire. Choose from 3/4" to 2".

**K Camber**

Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°.



Dealer Information: [Please Complete Dealer Info On All Faxed Pages]				Ship To:			
Dealer Name:		Ordered By:		Name:			
Address:				Address:			
City:		State:	Zip Code:	City:		State:	Zip Code:
Phone Number:		Fax Number:		Phone Number:		Fax Number:	

**Order Information**

Account Number: \_\_\_\_\_

PO Number: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Shipping Method: \_\_\_\_\_

**TiLite Information**

Order Date: \_\_\_\_\_

Ship Date: \_\_\_\_\_

Order Number: \_\_\_\_\_

- A Rear Seat Width** (Outside Measurement)  
 12"  13"  14"  15"  16"  
 17"  18"  19"  20"
- B Seat Depth**  
 14"  15"  16"  17"  18"  19"  20"
- C Front Seat Height**  
 17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"  20-1/2"  21"
- D Rear Seat Height**  
 13"  13-1/2"  14"  14-1/2"  
 15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"  20-1/2"  
 21"
- E Seat To Footrest** (Must be 2" shorter than Front Seat Height **C**)  
 12"  12-1/2"  13"  13-1/2"  
 14"  14-1/2"  15"  15-1/2"  
 16"  16-1/2"  17"  17-1/2"  
 18"  18-1/2"  19"
- F Non-Folding Seat Back Height**  
 5"  5-1/2"  6"  6-1/2"  
 7"  7-1/2"  8"  8-1/2"  
 9"  9-1/2"  10"  10-1/2"  
 11"  11-1/2"  12"  12-1/2"  
 13"  13-1/2"  14"  14-1/2"  
 15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"
- Non-Folding, Adjustable Seat Back Height**  
 8"-12"  12"-16"  16"-20" Seat At: \_\_\_\_\_ (Use 1/2" increments)

- G Back Angle**  
 80°  81°  82°  83°  84°  85°  
 86°  87°  88°  89°  90°  91°  
 92°  93°  94°  95°  96°  97°  
 98°  99°  100°  101°
- H Center of Gravity**  
 1"  1-1/4"  1-1/2"  1-3/4"  
 2"  2-1/4"  2-1/2"  2-3/4"  
 3"  3-1/4"  3-1/2"  3-3/4"  
 4"  4-1/4"  4-1/2"  4-3/4"  
 5"  5-1/4"  5-1/2"  5-3/4"  
 6"
- I Front Seat Width** (Inside measurement)  
 9"  10"  11"  12"  
 13"  14"  15"  16"
- J Rear Wheel Spacing**  
 3/4"  1"  1-1/4"  
 1-1/2"  1-3/4"  2"
- K Camber**  
 0°  2°  4°  6°  
 8°  12°  15°  18°
- L Rear To Front of Footrest**  
 23"  23-1/2"  24"  24-1/2"  
 25"  25-1/2"  26"  26-1/2"  
 27"  27-1/2"  28"  28-1/2"  
 29"  29-1/2"  30"  30-1/2"  
 31"  31-1/2"  32"  32-1/2"
- M Rear To Front Caster**  
 21"  22"  23"  
 24"  25"  26"
- N Rear To Front of Wing**  
 25-1/2"  26"  26-1/2"  27"  
 27-1/2"  28"  28-1/2"  29"  
 29-1/2"  30"  30-1/2"  31"  
 31-1/2"  32"  32-1/2"  33"  
 33-1/2"  34"  34-1/2"  35"  
 35-1/2"  36"



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

Please **Fax** Page One and Page Four to  
**TiLite Customer Service at 866.586.2413**  
**509.586.2413**

**Dealer Information: [Please Complete Dealer Info On All Faxed Pages]**

Dealer Name:	Customer Name:
Account Number:	PO Number:

<b>TiLite Evo w/Standard Features</b> .....	<b>\$1,202.99</b>
<b>Frame Finish</b>	
○ Satin .....	<b>STD</b>
○ Polished .....	<b>\$301.50</b>
<b>Seat Width/Depth</b>	
○ 19" or 20" (Seat Width and/or Depth) .....	<b>\$180.90</b>
<b>PowerAdaptable Frame</b>	
○ Reinforced Frame (Required for Power Add-On System) .....	<b>\$180.90</b>
<b>Folding Back</b>	
○ Aluminum Adjustable Height and Angle .....	<b>STD</b>
○ 4" Deep Backrest Rigidizer Bar .....	<b>NCO</b>
○ Titanium Adjustable Height and Angle .....	<b>\$90.45</b>
○ Push Handles Integrated on Back Posts .....	<b>\$51.26</b>
○ Titanium Back Release Bar (n/a w/Swing Away Armrests) .....	<b>\$30.15</b>
○ Angle Adjustable .....	<b>STD</b>
○ Angle Adjustable High Mount .....	<b>\$27.14</b>
○ ABS Cover w/2" Sides (Available on All Footrests) .....	<b>\$90.45</b>
○ 3" Micro-Caster .....	<b>STD</b>
○ 3" Light-Up Micro-Caster .....	<b>\$33.17</b>
○ 4" Light-Up Micro-Caster .....	<b>\$33.17</b>
○ 4" Billet Aluminum Wheel w/Poly Tire .....	<b>\$66.33</b>
○ 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....	<b>\$93.47</b>
○ 5" Plastic Wheel w/Poly Tire .....	<b>NCO</b>
○ 5" Billet Aluminum Wheel w/Poly Tire .....	<b>\$81.41</b>
○ 5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....	<b>\$105.53</b>
○ *6" Plastic Wheel w/Poly Tire .....	<b>NCO</b>
○ *6" Plastic Wheel w/Pneumatic Tire .....	<b>\$39.20</b>
○ *6" Billet Aluminum Wheel w/Poly Tire .....	<b>\$93.47</b>
○ *6" Billet Aluminum Wheel w/Pneumatic Tire .....	<b>\$93.47</b>
○ *6" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....	<b>\$117.59</b>
○ Frog Legs® Suspension Forks (Silver) .....	<b>\$198.99</b>
○ Caster Pin Locks .....	<b>\$135.68</b>
○ Omit Front Wheels (Must Choose Wheel Size Above) .....	<b>-\$12.06</b>
<b>Rear Wheels</b>	
○ Lightweight Wheels w/Low Flange Hub .....	<b>STD</b>
○ 22"(501)   ○ 24"(540)   ○ 25"(559)   ○ 26"(590)	
○ High Flange Hub   ○ 24"(540)   ○ 25"(559)   ○ 26"(590) .....	<b>\$90.45</b>
○ Spinerger SPOX™ .....	<b>\$419.09</b>
○ Black   ○ Red   ○ Yellow   ○ Blue	
○ 22"(501) - Std. Hub   ○ 24"(540) - Std. Hub	
○ 25"(559) - Std. Hub   ○ 26"(590) - Sport Hub	
○ Plastic Mags   ○ 22"   ○ 24" .....	<b>\$30.15</b>
○ Omit (Must Choose Wheel Size Above and Tire Type Below) .....	<b>\$30.15</b>
<b>Pneumatic Rear Tires</b>	
○ Treaded (n/a w/25" (559)) .....	<b>STD</b>
○ Airless Inserts (n/a w/SPOX Wheels) .....	<b>\$75.38</b>
○ 25" Primo Treaded (Standard 25"(559)) .....	<b>STD</b>
○ Primo .....	<b>NCO</b>
○ 24"(507) Gray Knobby (Requires High Flange Hub) .....	<b>\$18.09</b>
○ 26"(559) Black Knobby (Requires High Flange Hub or SPOX) .....	<b>\$18.09</b>
○ Tufo Sew-Up Tubular 230psi (24"(540) & 26"(590) Only) .....	<b>\$90.45</b>
<b>Solid Rear Tires</b>	
○ 22"(501) Pyramid .....	<b>\$30.15</b>
○ Mako - KIK® (24"(540) and 25"(559) Only) .....	<b>\$48.24</b>

<b>Handrims</b>	
○ Aluminum – Black Anodized .....	<b>STD</b>
○ † Aluminum – Silver Anodized .....	<b>\$30.15</b>
○ Titanium (n/a w/22" Wheels or 24" Knobby Tires) .....	<b>\$177.89</b>
○ *Ergonomic Aluminum - Black .....	<b>\$117.59</b>
○ *Natural Fit™ Regular Grip .....	<b>\$177.89</b>
○ *Natural Fit™ Super Grip .....	<b>\$205.02</b>
○ Plastic Coated – Black .....	<b>\$54.27</b>
○ Projections (Requires Long Tabs) .....	<b>\$138.69</b>
○ Vertical                      ○ Oblique (45-degree)	
○ 8 - Projections           ○ 10 - Projections	
○ Long Tabs .....	<b>STD</b>
○ Short Tabs .....	<b>NCO</b>
○ Omit Handrims .....	<b>-\$9.05</b>
○ *Standard Push to Lock .....	<b>NCO</b>
○ Scissor .....	<b>\$66.33</b>
○ Uni-Lock                      Set At:   ○ Push   ○ Pull .....	<b>\$66.33</b>
○ Extension Handles .....	<b>\$30.15</b>
<b>Upholstery Colors</b>	
○ Black .....	<b>STD</b>
○ Ti Red   ○ Royal Blue .....	<b>\$30.15</b>
○ Navy Blue   ○ Hunter Green   ○ Purple .....	<b>\$30.15</b>
<b>Back Upholstery</b>	
○ Velcro Adjustable .....	<b>STD</b>
○ Tension Adjustable by Straps .....	<b>\$60.30</b>
○ Omit Back Upholstery .....	<b>NCO</b>
<b>Seat Upholstery</b>	
○ Tension Adjustable Bolt On (Black Only) .....	<b>STD</b>
○ Omit Seat Upholstery .....	<b>NCO</b>
○ Foam Cushion   ○ 2"   ○ 3"   ○ 4" .....	<b>\$54.27</b>
○ † StimuLITE® Sport (2" Black Only) .....	<b>\$256.28</b>
○ † ROHO® Custom Cushion (Contoured, Black Only) .....	<b>\$358.79</b>
<b>Side Guards</b>	
○ Cloth .....	<b>\$39.20</b>
○ Rigid Removable                      ○ Small   ○ Std .....	<b>\$105.53</b>
○ Quad Removable w/Hole   ○ Small   ○ Std .....	<b>\$111.56</b>
<b>Camber</b>	
○ Standard Camber (0°, 2°, 4°, 6°, 8°, or 12°) .....	<b>STD</b>
○ Optional Camber (15° or 18°) .....	<b>\$30.15</b>
○ Additional Camber Tube (0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°) .....	<b>\$90.45</b>
<b>Axles</b>	
○ Stainless Quick Release .....	<b>STD</b>
○ Titanium Quick Release (n/a w/26" SPOX Wheels) .....	<b>\$105.53</b>
○ Quad Release (n/a w/SPOX Wheels) .....	<b>\$57.29</b>
<b>Armrests</b>	
○ Swing Away - Tubular .....	<b>\$111.56</b>
○ Removable Desk Arm (With Adj. Height Rigid Side Guard) .....	<b>\$195.98</b>
○ 9" to 12"                      ○ 12" to 15"	
○ Removable Desk Arm w/Transfer Loop (15" Min. Seat Depth) .....	<b>\$226.13</b>
○ 9" to 12"                      ○ 12" to 15"	
<b>Seat Belts</b>	
○ Velcro Adjustable, Black Nylon Webbing .....	<b>\$24.12</b>
○ Auto-Style Release Buckle .....	<b>\$33.17</b>
<b>Frame Protectors</b>	
○ Neoprene (n/a w/Angle Adjustable High Mount Footrest) .....	<b>\$24.12</b>
<b>Calf Strap</b>	
○ Buckle Adjustable, Black Nylon Webbing .....	<b>\$6.03</b>
<b>Back Pack</b>	
○ Small - Black Nylon (Fits 12" - 16" Seat Widths) .....	<b>\$42.21</b>
○ Large - Black Nylon (Fits 14" - 18" Seat Widths) .....	<b>\$57.29</b>
<b>Seat Pouch</b>	
○ Small - Black Nylon (Fits 12" - 16" Seat Widths) .....	<b>\$24.12</b>
○ Large - Black Nylon (Fits 14" - 18" Seat Widths) .....	<b>\$27.14</b>
<b>Spoke Guards</b>	
○ Clear Lexan Plastic w/TiLite™ Logo (n/a w/Plastic Mags) .....	<b>\$54.27</b>
<b>Anti-Tips</b>	
○ Rear Aluminum - Black .....	<b>\$75.38</b>
○ Front Anti-Tip (n/a w/Angle Adjustable High Mount Footrest) .....	<b>\$57.29</b>
<b>Accessories</b>	
○ Luggage Carriers (n/a w/Angle Adj. High Mount Footrest) .....	<b>\$60.30</b>
○ Travel Wheels (n/a w/Anti-Tips) .....	<b>\$180.90</b>

† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
 †† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]  
 TiLite, The Ultimate Ride and The Titanium Experts are trademarks of TiSport, LLC.

# TiLite Evo Measurement Guide

**A Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 14" to 20" in 1" increments.

**B Seat Depth**

Measure from front of back post to the front edge of seat sling. Choose 14" to 20" in 1" increments. See Seat Depth/Frame Length Combinations Chart on Page Three.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 16-1/2" to 21" in 1/2" increments. See Available Front Seat Heights chart on Page Three.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose from 14" to 20" in 1/2" increments. See Available Rear Seat Heights chart on Page Three.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose 14-1/2" to 19" in 1/2" increments. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height. Measurement 14" or shorter requires an Angle Adjustable High Mount Footrest. See Front Angle/Seat to Footrest Combinations chart below.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. Choose 8"-12", 12"-16" or 16"-20". If push handles are ordered, choose 9"-12", 13"-16" or 17"-20". Seat Back Height adjusts in 1/2" increments.

**G Back Angle**

Measure angle from front of back post to floor. Choose 80° to 101° in 3° increments. 90° will be perpendicular to the floor.

**I Rear Wheel Spacing**


Measure from outside of back post to inside top of rear tire. With 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2".

**J Camber**

Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°.


**K Front Angle**

Measure from inside of front frame tube to top of bottom frame tube. Choose 70°, 80° or 85°. 70° Front Angle shown at right. See Front Angle/Seat to Footrest Combinations chart below.



**Front Angle/Seat to Footrest Combinations E K**

Front Angle	Leg Length
70°	15 3/4" to 20"
80°	14 3/4" to 19"
85°	14 1/2" to 18 1/2"



Footrest width will be approximately 5" narrower than Seat Width A



1426 East Third Avenue | Kennewick, Washington 99337





509.586.6117 Tel | 800.545.2266 Toll-Free

509.586.2413 Fax | 866.586.2413 Toll-Free Fax

Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

## Seat Depth/Frame Length Combinations



### Available Front Seat Heights

Front Caster Size	Height Ranges
3"	16 1/2" to 20 1/2"
3" Frog Legs	17 1/2" to 20 1/2"
4"	17" to 21"
4" Frog Legs	18" to 21"
5"	19" to 21"
5" Frog Legs	19" to 21"
6"	19 1/2" to 21"
6" Frog Legs	20 1/2" to 21"

### Available Rear Seat Heights

Rear Tire Size	Height Ranges
22" Pyramid	12" to 17 1/2"
22" Primo	12 1/2" to 18"
22" Treaded	13" to 18"
24" Mako	13" to 18 1/2"
24" Primo	13 1/2" to 18 1/2"
24" Treaded/Knobby	13 1/2" to 19"
25" Primo/Primo Treaded	14" to 19"
25" Mako	13 1/2" to 19"
26" Primo	14 1/2" to 19 1/2"
26" Treaded/Knobby	14 1/2" to 20"

Dealer Information: [Please Complete Dealer Info On All Faxed Pages]				Ship To:			
Dealer Name:		Ordered By:		Name:			
Address:				Address:			
City:		State:	Zip Code:	City:		State:	Zip Code:
Phone Number:		Fax Number:		Phone Number:		Fax Number:	

ONE WEEK SHIPPING

**Order Information**

Account Number:

PO Number:

Customer Name:

Shipping Method:

**TiLite Information**

Order Date:

Ship Date:

Order Number:

**A Seat Width** (Outside Measurement)

- 14"  15"  16"  17"  18"  19"  20"

**B Seat Depth/Frame Length** (Select one Frame Length and one Seat Depth)

Frame Length	Seat Depth		
<input type="radio"/> Short	<input type="radio"/> 12"	<input type="radio"/> 13"	<input type="radio"/> 14"
<input type="radio"/> Medium	<input type="radio"/> 14"	<input type="radio"/> 15"	<input type="radio"/> 16"
<input type="radio"/> Long	<input type="radio"/> 16"	<input type="radio"/> 17"	<input type="radio"/> 18"
<input type="radio"/> Extra Long	<input type="radio"/> 18"	<input type="radio"/> 19"	<input type="radio"/> 20"

**C Front Seat Height**

- 16-1/2"  17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"  20-1/2"  21"

**D Rear Seat Height**

- 14"  14-1/2"  15"  15-1/2"  
 16"  16-1/2"  17"  17-1/2"  
 18"  18-1/2"  19"  19-1/2"  
 20"

**E Seat To Footrest** Must be at least 2" shorter than Front Seat Height **C**.

Measurement 14" or shorter requires an Angle Adjustable High Mount Footrest.

- 14-1/2"  15"  15-1/2"  16"  
 16-1/2"  17"  17-1/2"  18"  
 18-1/2"  19"

**F Adjustable Seat Back Height w/o Push Handles**

- 8 - 12"  12 - 16"  16 - 20"  
 Set at: \_\_\_\_\_ (Use 1/2" increments)

**Adjustable Seat Back Height w/ Push Handles**

- 9 - 12"  13 - 16"  17 - 20"  
 Set at: \_\_\_\_\_ (Use 1/2" increments)

**G Back Angle**

- 80°  83°  86°  89°  
 92°  95°  98°  101°

**H Rear Wheel Spacing** 0° or 2° camber must choose between 1" and 2".

- 3/4"  1"  1-1/4"  
 1-1/2"  1-3/4"  2"

**I Camber**

- 0°  2°  4°  6°  
 8°  12°  15°  18°

**Additional Camber Tube**

- 0°  2°  4°  6°  
 8°  12°  15°  18°

**J Front Angle**

- 70°  80°  85°

**Notes:**

---

---

---

---

---

---

---

---

---

---



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

Please Fax Page One and Page Four to  
**TiLite Customer Service at 866.586.2413**  
**509.586.2413**

Dealer Information: [Please Complete Dealer Info On Pages One & Four]	
Dealer Name:	Customer Name:
Account Number:	PO Number:

- TiLite TR w/Standard Features** ..... **\$1,564.79**
- TiLite TRC w/Standard Features** ..... **\$1,685.39**
- TiLite YR w/Standard Features** ..... **\$1,564.79**
- Frame Finish**
  - Satin ..... **STD**
  - Polished ..... **\$301.50**
- Seat Width/Depth**
  - 19" or 20" (Seat Width and/or Depth) ..... **\$180.90**
- Custom Depth**
  - Frame Depth Longer or Shorter Than Seat Depth ... **\$90.45**
- PowerAdaptable Frame**
  - Reinforced Frame (Required for Power Add-On System) ... **\$180.90**
- Folding Back**
  - Aluminum Adjustable Height and Angle ..... **STD**
  - 4" Deep Backrest Rigidizer Bar ..... **NCO**
  - Titanium Adjustable Height and Angle ..... **\$90.45**
  - Push Handles Integrated on Back Posts ..... **\$51.26**
  - Titanium Back Release Bar (n/a w/Swing-Away Armrests) ... **\$30.15**
- Non-Folding Back**
  - Titanium Fixed Height and Angle ..... **NCO**
  - 4" Deep Backrest Rigidizer Bar ..... **NCO**
- Footrests**
  - Titanium w/Flat ABS Cover ..... **STD**
  - Titanium Open Loop ..... **\$57.29**
  - Angle Adjustable ..... **NCO**
  - Angle Adjustable High Mount ..... **\$27.14**
  - ABS Cover w/2" Sides (Available On All Footrests) ..... **\$90.45**
- Front Wheels**
  - 3" Micro-Caster ..... **STD**
  - 3" Light-Up Micro-Caster ..... **\$33.17**
  - 4" Light-Up Micro-Caster ..... **\$33.17**
  - 4" Billet Aluminum Wheel w/Poly Tire ..... **\$66.33**
  - 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ... **\$93.47**
  - 5" Plastic Wheel w/Poly Tire ..... **NCO**
  - 5" Billet Aluminum Wheel w/Poly Tire ..... **\$81.41**
  - 5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire **\$105.53**
  - Frog Legs® Suspension Forks (Silver) ..... **\$198.99**
  - Caster Pin Locks ..... **\$135.68**
  - Omit Front Wheels (Must Choose Wheel Size Above) ..... **\$12.06**
- Rear Wheels**
  - Lightweight Wheels w/Low Flange Hub ..... **STD**
    - 20"(451)  22"(501)  24"(540)  25"(559)  26"(590)
  - High Flange Hub  24"(540)  25"(559)  26"(590) **\$90.45**
  - Spineray SPOX™  Black  Red  Yellow  Blue **\$419.09**
    - 22"(501) - Std. Hub  24"(540) - Std. Hub
    - 25"(559) - Std. Hub  26"(590) - Sport Hub
  - Plastic Mags  20"  22"  24" ..... **\$30.15**
  - Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below) ... **\$30.15**
- Pneumatic Rear Tires**
  - Treaded (n/a w/25" (559)) ..... **STD**
    - Airless Inserts (n/a w/SPOX or 20" Wheels) ..... **\$78.75**
  - 25" Primo Treaded (Standard on 25" (559)) ..... **STD**
  - Primo ..... **NCO**
  - 24"(507) Gray Knobby (Requires High Flange Hub) ..... **\$18.09**
  - 26"(559) Black Knobby (Requires High Flange Hub or SPOX) **\$18.09**
  - Tufo Sew-Up Tubular 230psi (24"(540) & 26"(590) Only) .. **\$90.45**
- Solid Rear Tires**
  - 20" Treaded Poly Tire ..... **\$18.09**
  - 22"(501) Pyramid® ..... **\$30.15**
  - Mako - KIK® (24"(540) and 25"(559) Only) ..... **\$48.24**

- Handrims**
  - Aluminum - Black Anodized ..... **STD**
  - †Aluminum - Silver Anodized ..... **\$30.15**
  - Titanium (n/a w/20" or 22" Wheels or 24" Knobby Tires) ..... **\$177.89**
  - \*Ergonomic Aluminum - Black ..... **\$117.59**
  - \*Natural Fit™ Regular Grip ..... **\$177.89**
  - \*Natural Fit™ Super Grip ..... **\$205.02**
  - Plastic Coated - Black ..... **\$54.27**
  - Projections (Requires Long Tabs) ..... **\$138.69**
    - Vertical  Oblique (45-degree)
    - 8 - Projections  10 - Projections
  - Long Tabs ..... **STD**  Short Tabs ..... **NCO**
  - Omit Handrims ..... **\$9.05**
- Wheel Locks**
  - \*Standard Push to Lock ..... **NCO**
  - Scissor ..... **\$66.33**
  - Uni-Lock Set At:  Push  Pull ..... **\$66.33**
    - Extension Handles ..... **\$30.15**
- Upholstery Colors**
  - Black ..... **STD**
  - Ti Red  Royal Blue (NCO on YR) ..... **\$30.15**
  - Navy Blue  Hunter Green  Purple (NCO on YR) ... **\$30.15**
- Back Upholstery**
  - Velcro Adjustable ..... **STD**
  - Tension Adjustable by Straps ..... **\$60.30**
  - Omit Back Upholstery ..... **NCO**
- Seat Upholstery**
  - TR or YR Tension Adjustable Bolt On (Black Only) ..... **STD**
  - TR or YR Tension Adjustable by Straps (Black Only) ... **\$60.30**
  - TRC Tension Adjustable by Straps (Black Only) ..... **STD**
  - Omit (On TR & YR, all Seat Upholstery Mounting Holes Will Be Drilled), **NCO**
  - Foam  2"  3"  4" ..... **\$54.27**
  - † StimuLITE® Sport (2" Black Only) ..... **\$256.28**
  - † ROHO® Custom (Contoured, Black Only) ..... **\$358.79**
- Seat Cushions**
  - StimuLITE Ranges (SIN F-5)  13" X 15" to 20" X 20" **\$39.20**
  - Corbee Ranges  12" X 12" to 14" X 14" **\$105.53**
- Side Guards**
  - Cloth ..... **\$39.20**
  - Rigid Removable  Small  Std ..... **\$115.56**
  - Quad Removable w/Hole  Small  Std ..... **\$111.56**
  - Fixed Aluminum (Non-Folding Back Only) ..... **\$150.75**
- Camber**
  - Standard Camber (0°, 2°, 4°, 6°, 8° or 12°) ..... **STD**
  - Optional Camber (15° or 18°) ..... **\$30.15**
  - Adjustable Camber System (Fits 14" - 18" Wide Chairs Only) ... **\$195.98**
  - Additional Camber Tube (0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°) **\$90.45**
  - Extra Spacers to Increase Rear Wheel Spacing ..... **NCO**
- Axles**
  - Stainless Quick Release ..... **STD**
  - Titanium Quick Release (n/a w/26" SPOX Wheels) ..... **\$105.53**
  - Quad Release (n/a w/SPOX Wheels) ..... **\$57.29**
  - \*Amputee Adapter (n/a w/Swing Away Armrests) ..... **\$75.38**
  - Swing Away - Tubular (Requires 15" Min. Rear Seat Height) . **\$111.56**
  - Removable Desk Arm (w/Adj. Height Rigid Side Guard) ... **\$195.98**
    - 9" to 12"  12" to 15"
  - Removable Desk Arm w/Transfer Loop (15" Min. Seat Depth) ... **\$226.13**
    - 9" to 12"  12" to 15"
- Seat Belts**
  - Velcro Adjustable, Black Nylon Webbing ..... **\$24.12**
  - Auto-Style Release Buckle ..... **\$33.17**
  - Neoprene (n/a w/Angle Adjustable High Mount Footrest) **\$24.12**
- Frame Protectors**
  - Buckle Adjustable, Black Nylon Webbing ..... **\$6.03**
- Calf Strap**
  - Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... **\$42.21**
  - Large - Black Nylon (Fits 14" - 20" Seat Widths) ..... **\$57.21**
- Back Pack**
  - Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... **\$24.12**
  - Large - Black Nylon (Fits 14" - 20" Seat Widths) ..... **\$27.14**
  - \*Clear Lexan Plastic w/TiLite™ Logo ..... **\$54.27**
- Seat Pouch**
  - Rear Aluminum - Black ..... **\$75.38**
  - Front Anti-Tip (n/a w/Angle Adjustabe High Mount Footrest) **\$57.29**
  - Titanium w/Single Swivel Caster ..... **\$195.98**
  - Quick Release Titanium w/Single Swivel Caster ..... **\$211.05**
  - Luggage Carriers (n/a w/Angle Adj. High Mount Footrest) **\$60.30**
  - Stroller Handles (n/a w/Push Handle Backs) ..... **\$117.59**
  - Travel Wheels (n/a w/Anti-Tips, Adj. Camber or Amputee Adapter) ... **\$180.90**
- Spoke Guards**
  - Anti-Tips  \*n/a w/ 20" Wheels or Plastic Mags
- Accessories**





† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
 †† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.

1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

## Use This Page for TR and YR Measurements Only

- A Seat Width**  
Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.
- B Seat Depth**  
Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame unless Custom Frame Depth is specified on Page Four. Choose 12" to 20" in 1" increments.
- C Front Seat Height**  
Measure from floor to top of seat tube at beginning of bend. Choose 15" to 21" in 1/2" increments.
- D Rear Seat Height**  
Measure from floor to top of seat tube at back post. Choose 14" to 21" in 1/2" increments.
- E Seat To Footrest**  
Measure from front edge of seat sling to top rear of footrest. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height. Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest. Choose 13" to 19" in 1/2" increments.
- F Seat Back Height**  
Measure from top of back post to top of seat tube at rear of frame. For **Folding Back w/o Push Handles**, choose 8"-12", 12"-16" or 16"-20". For **Folding Back w/ Push Handles**, choose 10"-12", 13"-16" or 17"-20". For **Non-Folding Back**, choose 5" to 20".
- G Back Angle**  
Measure angle from front of back post to floor. For **Folding Back**, choose 80° to 101° in 3° increments. For **Non-Folding Back**, choose 80° to 101° in 1° increments. 90° will be perpendicular to the floor.
- H Center of Gravity**  
Measure from front of back post at the seat tube to the center of the rear axle. Choose from 1" to 6" in 1/4" increments. An Amputee Adapter is available (see Page One). See Frame Notes below for information on rounded and square rear frame styles.
- I Footrest Width**  
Footrest is available 2", 4" or 6" narrower than Seat Width. A Footrest Width that is 2" narrower than Seat Width **A** has no front frame taper. Measure from inside of front frame tube to inside of opposite front frame tube.
- J Rear Wheel Spacing**  
Measure from outside of back post to inside top of rear tire. With 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2". Choose 1" to 2" with Adjustable Camber System.
- K Camber**  
Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°. Adjustable Camber System fits 14" to 18" Seat Widths only.
- L Front Angle**  
Measure from frame front to floor. Choose 70°, 80° or 85°. 80° Front Angle shown.



### TR, TRC & YR Frame Notes:

**Diagram 1** - The camber tube is mounted above the lower frame tube when:

- (a) the Rear Seat Height **D** is 15" or shorter, or
- (b) the Adjustable Camber System is ordered, or
- (c) Swing Away Armrests are ordered.


In most other cases, the camber tube will be mounted below the lower frame tube.

**Diagram 2** - The rear frame will be square when:


- (a) Swing Away Armrests are ordered, or
- (b) the Center of Gravity **H** is less than 4-1/2".

In most other cases, the rear frame will be round.

The statements above may not apply when custom changes are requested.



**A. Below**      **B. Above**  
Illustrations show camber tube above and below lower frame tube.



**A. Round**      **B. Square**  
Illustrations show square and round rear frames



## Use This Page for TRC Measurements Only

**A Rear Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.

**B Seat Depth**

Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame unless Custom Frame Depth is specified on Page Four. Choose 12" to 20" in 1" increments.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 15" to 21" in 1/2" increments.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose 14" to 21" in 1/2" increments.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height. Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest. Choose 13" to 19" in 1/2" increments.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. For **Folding Back w/o Push Handles**, choose 8"-12", 12"-16" or 16"-20". For **Folding Back w/ Push Handles**, choose 10"-12", 13"-16" or 17"-20". For **Non-Folding Back**, choose 5" to 20".

**G Back Angle**

Measure angle from front of back post to floor. For **Folding Back**, choose 80° to 101° in 3° increments. For **Non-Folding Back**, choose 80° to 101° in 1° increments. 90° will be perpendicular to the floor.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. Choose from 1" to 6" in 1/4" increments. Amputee Adapter is available (see Page One). See Frame Notes on the bottom of Page Two for information on rounded and square rear frame styles.

**I Front Seat Width**

Seat is available with inside of frame front 2", 3", 4" or 5" narrower than outside Rear Seat Width **A**. Measure inside of front frame tube to inside of opposite front frame tube.

**J Rear Wheel Spacing**

Measure from outside of back post to inside top of rear tire. With a 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2". Choose 1" to 2" with Adjustable Camber System.

**K Camber**




Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°. Adjustable Camber System fits 14" to 18" Rear Seat Widths only.

**L Front Angle**

Measure from frame front to floor. Choose 60° to 90° in 5° increments. 80° Front Angle shown.

**V V-Front End (Optional)**

Measure inside of front frame tube to inside of opposite front frame tube 2-1/2" above Footrest.



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]



Dealer Information: [Please Complete Dealer Info On All Faxed Pages]				Ship To:			
Dealer Name:		Ordered By:		Name:			
Address:				Address:			
City:		State:	Zip Code:	City:		State:	Zip Code:
Phone Number:		Fax Number:		Phone Number:		Fax Number:	

**Order Information**

Account Number: \_\_\_\_\_

PO Number: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Shipping Method: \_\_\_\_\_

**TiLite Information**

Order Date: \_\_\_\_\_

Ship Date: \_\_\_\_\_

Order Number: \_\_\_\_\_

- A Seat Width (Outside Measurement)**  
 12"  13"  14"  15"  16"  17"  18"  19"  20"
- B Seat Depth**  
 12"  13"  14"  15"  16"  17"  18"  19"  20"  
 Custom Frame Depth \_\_\_\_\_
- C Front Seat Height**  
 15"  15-1/2"  16"  16-1/2"  17"  17-1/2"  
 18"  18-1/2"  19"  19-1/2"  20"  20-1/2"  21"
- D Rear Seat Height**  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  19"  19-1/2"  
 20"  20-1/2"  21"
- E Seat To Footrest** Must be at least 2" shorter than Front Seat Height **G**.  
 Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest.  
 13"  13-1/2"  14"  14-1/2"  15"  15-1/2"  
 16"  16-1/2"  17"  17-1/2"  18"  18-1/2"  19"
- F Folding, Adjustable Seat Back Height w/o Push Handles**  
 8 - 12"  12 - 16"  16 - 20" Set at: \_\_\_\_\_ (use 1/2" increments)
- Folding, Adjustable Seat Back Height w/ Push Handles**  
 10 - 12"  13 - 16"  17 - 20" Set at: \_\_\_\_\_ (use 1/2" increments)
- Non-Folding, Fixed Seat Back Height**  
 5"  5-1/2"  6"  6-1/2"  7"  7-1/2"  
 8"  8-1/2"  9"  9-1/2"  10"  10-1/2"  
 11"  11-1/2"  12"  12-1/2"  13"  13-1/2"  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  19"  19-1/2"  20"
- G Folding Back Angle**  
 80°  83°  86°  89°  92°  95°  98°  101°
- Non-Folding Back Angle**  
 80°  81°  82°  83°  84°  85°  86°  87°  
 88°  89°  90°  91°  92°  93°  94°  95°  
 96°  97°  98°  99°  100°  101°
- H Center of Gravity**  
 1"  1-1/4"  1-1/2"  1-3/4"  2"  2-1/4"  
 2-1/2"  2-3/4"  3"  3-1/4"  3-1/2"  3-3/4"  
 4"  4-1/4"  4-1/2"  4-3/4"  5"  5-1/4"  
 5-1/2"  5-3/4"  6"

- I TR & YR Footrest Width (Select One)**

Seat Width <b>A</b> (Outside Measurement)	Footrest Width (Inside Measurement)		
	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
12"	<input type="radio"/> 10"	<input type="radio"/> 8"	<input type="radio"/> 6"
13"	<input type="radio"/> 11"	<input type="radio"/> 9"	<input type="radio"/> 7"
14"	<input type="radio"/> 12"	<input type="radio"/> 10"	<input type="radio"/> 8"
15"	<input type="radio"/> 13"	<input type="radio"/> 11"	<input type="radio"/> 9"
16"	<input type="radio"/> 14"	<input type="radio"/> 12"	<input type="radio"/> 10"
17"	<input type="radio"/> 15"	<input type="radio"/> 13"	<input type="radio"/> 11"
18"	<input type="radio"/> 16"	<input type="radio"/> 14"	<input type="radio"/> 12"
19"	<input type="radio"/> 17"	<input type="radio"/> 15"	<input type="radio"/> 13"
20"	<input type="radio"/> 18"	<input type="radio"/> 16"	<input type="radio"/> 14"

- J TRC Footrest Width (Select One)**

Seat Width <b>A</b> (Outside Measurement)	Footrest Width (Inside Measurement)			
	2" Narrower than Seat Width	3" Narrower than Seat Width	4" Narrower than Seat Width	5" Narrower than Seat Width
12"	<input type="radio"/> 10"	<input type="radio"/> 9"	<input type="radio"/> 8"	<input type="radio"/> 7"
13"	<input type="radio"/> 11"	<input type="radio"/> 10"	<input type="radio"/> 9"	<input type="radio"/> 8"
14"	<input type="radio"/> 12"	<input type="radio"/> 11"	<input type="radio"/> 10"	<input type="radio"/> 9"
15"	<input type="radio"/> 13"	<input type="radio"/> 12"	<input type="radio"/> 11"	<input type="radio"/> 10"
16"	<input type="radio"/> 14"	<input type="radio"/> 13"	<input type="radio"/> 12"	<input type="radio"/> 11"
17"	<input type="radio"/> 15"	<input type="radio"/> 14"	<input type="radio"/> 13"	<input type="radio"/> 12"
18"	<input type="radio"/> 16"	<input type="radio"/> 15"	<input type="radio"/> 14"	<input type="radio"/> 13"
19"	<input type="radio"/> 17"	<input type="radio"/> 16"	<input type="radio"/> 15"	<input type="radio"/> 14"
20"	<input type="radio"/> 18"	<input type="radio"/> 17"	<input type="radio"/> 16"	<input type="radio"/> 15"

- K Rear Wheel Spacing** 0° or 2° camber must choose between 1" and 2".  
 3/4"  1"  1-1/4"  1-1/2"  1-3/4"  2"
- L Camber**  
 0°  2°  4°  6°  8°  12°  15°  18°  
 Adjustable Camber System (0°, 3°, 6°, 9° & 12°)  
 (Available 14" - 18" Wide Chairs Only) Set at: \_\_\_\_\_
- Additional Camber Tube**  
 0°  2°  4°  6°  8°  12°  15°  18°
- M TR & YR Front Angle**  
 70°  80°  85°
- N TRC Front Angle**  
 60°  65°  70°  75°  80°  85°  90°
- O TRC V-Front End** Optional (Inside Measurement)  
 8"  8-1/2"  9"  9-1/2"  10"  10-1/2"  
 11"  11-1/2"  12"  12-1/2"  13"  13-1/2"  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

Please Fax Page One and Page Four to  
**TiLite Customer Service at 866.586.2413**  
**509.586.2413**

Dealer Information: [Please Complete Dealer Info On Pages One & Four]	
Dealer Name:	Customer Name:
Account Number:	PO Number:

- TiLite TRA w/Standard Features** .....\$1,383.89
- TiLite YRA w/Standard Features** .....\$1,383.89
- Frame Finish**
  - Satin .....STD
  - Polished .....\$301.50
- Seat Width/Depth**
  - 19" or 20" (Seat Width and/or Depth) .....\$180.90
- PowerAdaptable Frame**
  - Reinforced Frame (Required for Power Add-On System) ...\$180.90
- Folding Back**
  - Aluminum Adjustable Height and Angle .....STD
  - 4" Deep Backrest Rigidizer Bar .....NCO
  - Titanium Adjustable Height and Angle .....\$90.45
  - Push Handles Integrated on Back Posts .....\$51.26
- Footrests**  
See Measurement Guide for standard leg length and footrest needed.
  - Angle Adjustable .....STD
  - Angle Adjustable High Mount .....\$27.14
  - ABS Cover w/2" Sides (Available On All Footrests) .....\$90.45
- Front Wheels**  
See Available Front Seat Heights chart on Page Three for Front Wheel Limitations.
  - 3" Micro-Caster .....STD
  - 3" Light-Up Micro-Caster .....\$33.17
  - 4" Light-Up Micro-Caster .....\$33.17
  - 4" Billet Aluminum Wheel w/Poly Tire .....\$66.33
  - 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ...\$93.47
  - \*5" Plastic Wheel w/Poly Tire .....NCO
  - \*5" Billet Aluminum Wheel w/Poly Tire .....\$81.41
  - \*5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ...\$105.53
  - \*\*6" Plastic Wheel w/Poly Tire .....NCO
  - \*\*6" Plastic Wheel w/Pneumatic Tire .....\$39.20
  - \*\*6" Billet Aluminum Wheel w/Poly Tire .....\$93.47
  - \*\*6" Billet Aluminum Wheel w/Pneumatic Tire .....\$93.47
  - \*\*6" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ...\$117.59
  - Frog Legs® Suspension Forks (Silver) .....\$198.99
  - Caster Pin Locks .....\$135.68
  - Omit Front Wheels (Must Choose Wheel Size Above) ....-\$12.06
- Rear Wheels**  
See Available Rear Seat Heights chart on Page Three for rear wheel limitations
  - Lightweight Wheels w/Low Flange Hub .....STD
    - 20"(451)  22"(501)  24"(540)  25"(559)  26"(590)
  - High Flange Hub  24"(540)  25"(559)  26"(590) ..\$90.45
  - Spineray SPOX™  Black  Red  Yellow  Blue ..\$419.09
    - 22"(501) - Std. Hub  24"(540) - Std. Hub
    - 25"(559) - Std. Hub  26"(590) - Sport Hub
  - Plastic Mags  20"  22"  24" .....\$30.15
  - Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below) ..-\$30.15
- Pneumatic Rear Tires**
  - Treaded (n/a w/25" (559)) .....STD
    - Airless Inserts (n/a w/SPOX or 20" Wheels) .....\$75.38
  - 25" Primo Treaded (Standard on 25" (559)) .....STD
  - Primo .....NCO
  - 24"(507) Gray Knobby (Requires High Flange Hub) .....\$18.09
  - 26"(559) Black Knobby (Requires High Flange Hub or SPOX) ..\$18.09
  - Tufo® Sew-Up Tubular 230psi (24"(540) & 26"(590) Only) \$90.45
- Solid Rear Tires**
  - 20"(451) Treaded Poly Tire .....\$18.09
  - 22"(501) Pyramid® .....\$30.15
  - Mako - KIK® (24"(540) and 25"(559) Only) .....\$48.24

- Handrims**
  - Aluminum - Black Anodized .....STD
  - † Aluminum - Silver Anodized .....\$30.15
  - Titanium (n/a w/20" or 22" Wheels or 24" Knobby Tires) ....\$177.89
  - \*Ergonomic Aluminum - Black .....\$117.59
  - \*Natural Fit™ Regular Grip .....\$177.89
  - \*Natural Fit™ Super Grip .....\$205.02
  - Plastic Coated - Black .....\$54.27
  - Projections (Requires Long Tabs) .....\$138.69
    - Vertical  Oblique (45-degree)
    - 8 - Projections  10 - Projections
  - Long Tabs .....STD  Short Tabs .....NCO
  - Omit Handrims .....\$9.05
  - \*Standard Push to Lock .....NCO
  - Scissor .....\$66.33
  - Uni-Lock  Set At:  Push  Pull .....\$66.33
    - Extension Handles .....\$30.15
- Upholstery Colors**
  - Black .....STD
  - Ti Red  Royal Blue (NCO on YRA) .....\$30.15
  - Navy Blue  Hunter Green  Purple (NCO on YRA) \$30.15
- Back Upholstery**
  - Velcro Adjustable .....STD
  - Tension Adjustable by Straps .....\$60.30
  - Omit Back Upholstery .....NCO
- Seat Upholstery**
  - Tension Adjustable Bolt On (Black Only) .....STD
  - Omit Seat Upholstery .....NCO
- Seat Cushions**  
(SIN F-5)  
 StimuLITE Ranges 13" X 15" to 20" X 20"  
 Corbee Ranges 12" X 12" to 14" X 14"
  - Foam Cushion  2"  3"  4" .....\$54.27
  - † StimuLITE® Sport (2" Black Only) .....\$256.28
  - † ROHO® Custom Cushion (Contoured, Black Only) ...\$358.79
- Side Guards**
  - Cloth .....\$39.20
  - Rigid Removable  Small  Std .....\$105.53
  - Quad Removable w/Hole  Small  Std .....\$111.56
- Camber**
  - Standard Camber (0°, 2°, 4°, 6°, 8° or 12°) .....STD
  - Optional Camber (15° or 18°) .....\$30.15
  - Additional Camber Tube (0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°) \$90.45
- Axles**
  - Stainless Quick Release .....STD
  - Titanium Quick Release (n/a w/26" SPOX Wheels) .....\$105.53
  - Quad Release (n/a w/SPOX Wheels) .....\$57.29
  - Amputee Adapter (n/a w/Swing Away Armrests) .....\$75.38
- Armrests**
  - Swing Away - Tubular .....\$111.56
  - Removable Desk Arm (w/Adj. Height Rigid Side Guard) ...\$195.98
    - 9" to 12"  12" to 15"
  - Removable Desk Arm w/Transfer Loop (15" Min. Seat Depth) ...\$226.13
    - 9" to 12"  12" to 15"
- Seat Belts**
  - Velcro Adjustable, Black Nylon Webbing .....\$24.12
  - Auto-Style Release Buckle .....\$33.17
- Frame Protectors**
  - Neoprene (n/a w/Angle Adjustable High Mount Footrest) \$24.12
- Calf Strap**
  - Buckle Adjustable, Black Nylon Webbing .....\$6.03
- Back Pack**
  - Small - Black Nylon (Fits 12" - 16" Wide Chairs) .....\$42.21
  - Large - Black Nylon (Fits 14" - 20" Wide Chairs) .....\$57.29
- Seat Pouch**
  - Small - Black Nylon (Fits 12" - 16" Wide Chairs) .....\$24.12
  - Large - Black Nylon (Fits 14" - 20" Wide Chairs) .....\$27.14
- Spoke Guards**
  - \*Clear Lexan Plastic w/TiLite™ Logo .....\$54.27
- Anti-Tips**
  - Rear Aluminum - Black .....\$75.38
  - Front Anti-Tip (n/a w/Angle Adjustable High Mount Footrest) \$57.29
- Accessories**
  - Stroller Handles (n/a w/Push Handle Backs) .....\$117.59
  - Luggage Carriers (n/a w/Angle Adjustable High Mount Footrest) \$60.30
  - Travel Wheels (n/a w/Anti-Tips or Amputee Adapter) ....\$180.90

\*n/a w/20" Wheels or Plastic Mags

† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
 †† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]  
 TiLite, The Ultimate Ride and The Titanium Experts are trademarks of TiSport, LLC.

**A Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.

**B Seat Depth/Frame Length**

Measure from front of back post to the front edge of seat sling. Choose 12" to 20" in 1" increments. See Seat Depth/Frame Length Combinations chart on Page Three.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 15" to 21" in 1/2" increments. See Available Front Seat Heights chart on Page Three.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose 12" to 20" in 1/2" increments. See Available Rear Seat Heights chart on Page Three.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose 13-1/2" to 19" in 1/2" increments. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height. Measurement 14" or shorter requires an Angle Adjustable High Mount Footrest. See Front Angle/Seat to Footrest Combinations chart on Page Three.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. Choose 8"-12", 12"-16" or 16"-20". If push handles are ordered, then choose 10"-12", 13"-16" or 17"-20". Seat Back Height adjusts in 1/2" increments.

**G Back Angle**

Measure angle from front of back post to floor. Choose 80° to 101° in 3° increments. 90° will be perpendicular to the floor.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. On an extra short frame, a range of 1" to 4-1/2" is available. On all other frames, a range of 1" to 6" is available. For all other requirements contact TiLite Customer Service for availability. An Amputee Adapter is available (see Page One).

**I Footrest Width**

Measure from inside of front frame tube to inside of opposite front frame tube. Footrest is available 2", 4" or 6" narrower than Seat Width. A Footrest Width that is 2" narrower than Seat Width **A** has no front frame taper. If an Extra Short Frame is ordered, you must choose 2" narrower as Footrest Width. If a Short Frame is ordered, you must choose either 2" or 4" narrower as Footrest Width.

**J Rear Wheel Spacing**



Measure from outside of back post to inside top of rear tire. With 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2" spacing in 1/4" increments.

**K Camber**


Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°.

**L Front Angle**

Measure from inside of front frame tube to top of bottom frame tube. Choose 70°, 80° or 85°. 70° Front Angle shown. See Front Angle/Seat to Footrest Combinations chart on Page Three.



**Seat Depth/Frame Length Combinations ③**



**Available Rear Seat Heights ④**

Rear Tire Size	Height Ranges			
	Short Frame		Tall Frame	
	Camber Tube Above Frame	Camber Tube Below Frame	Camber Tube Above Frame	Camber Tube Below Frame
20" Treaded, Poly Treaded	12" to 13"	15 1/2" to 18"	13 1/2" to 16"	18 1/2 to 20"
22" Pyramid Poly	12-1/2" to 13 1/2"	16" to 18 1/2"	14" to 16 1/2"	19 to 20"
22" Primo	13" to 14"	16 1/2" to 19"	14 1/2" to 17"	19 1/2" to 20"
22" Treaded	13-1/2" to 14 1/2"	17" to 19 1/2"	15" to 17 1/2"	20"
24" Primo, Treaded, Knobby, Mako	14" to 15"	17 1/2" to 20"	15 1/2" to 18"	20 1/2"
25" & 26" Primo	14-1/2" to 15 1/2"	18" to 20"	16" to 18 1/2"	21"
26" Treaded, Knobby, 27" Primo	15" to 16"	18 1/2" to 20"	16 1/2" to 19"	21 1/2"

**Available Front Seat Heights ⑤**

Front Caster Size	Height Ranges	
	Short Frame	Tall Frame
3"	15" to 19"	17" to 21"
3" w/Frog Legs	16 1/2" to 18 1/2"	18 1/2" to 20 1/2"
4"	15 1/2" to 19 1/2"	17 1/2" to 21"
4" w/Frog Legs	16 1/2" to 19"	18 1/2" to 21"
5"	17 1/2" to 20"	19 1/2" to 21"
5" w/Frog Legs	17 1/2" to 19 1/2"	19 1/2" to 21"
6"	18" to 20 1/2"	20" to 21"
6" w/Frog Legs	18 1/2" to 19 1/2"	20 1/2" to 21"

**Front Angle/Seat to Footrest Combinations ⑥ ⑦**

Front Angle	Leg length	
	Short Frame	Tall Frame
70°	14 3/4" to 21"	16 3/4" to 21"
80°	13 3/4" to 21"	15 3/4" to 21"
85°	13 1/4" to 21"	15 1/4" to 21"



Dealer Information: [Please Complete Dealer Info On All Faxed Pages]				Ship To:			
Dealer Name:		Ordered By:		Name:			
Address:				Address:			
City:		State:	Zip Code:	City:		State:	Zip Code:
Phone Number:		Fax Number:		Phone Number:		Fax Number:	

**Order Information**

Account Number: \_\_\_\_\_

PO Number: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Shipping Method: \_\_\_\_\_

**TiLite Information**

Order Date: \_\_\_\_\_

Ship Date: \_\_\_\_\_

Order Number: \_\_\_\_\_

**A Seat Width** (Outside Measurement)  
 12"  13"  14"  15"  16"  17"  18"  19"  20"

**B Seat Depth/Frame Length** (Select one Frame Length and one Seat Depth)

Frame Length	Seat Depth			
<input type="radio"/> X Short	<input type="radio"/> 12"	<input type="radio"/> 13"	<input type="radio"/> 14"	<input type="radio"/> 15"
<input type="radio"/> Short	<input type="radio"/> 12"	<input type="radio"/> 13"	<input type="radio"/> 14"	<input type="radio"/> 15"
<input type="radio"/> Medium	<input type="radio"/> 14"	<input type="radio"/> 15"	<input type="radio"/> 16"	<input type="radio"/> 17"
<input type="radio"/> Long	<input type="radio"/> 16"	<input type="radio"/> 17"	<input type="radio"/> 18"	<input type="radio"/> 19"
<input type="radio"/> Extra Long	<input type="radio"/> 17"	<input type="radio"/> 18"	<input type="radio"/> 19"	<input type="radio"/> 20"

**C Front Seat Height**  
 15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"  20-1/2"  21"

**D Rear Seat Height**  
 12"  12-1/2"  13"  13-1/2"  14"  14-1/2"  
 15"  15-1/2"  16"  16-1/2"  17"  17-1/2"  
 18"  18-1/2"  19"  19-1/2"  20"

**E Seat To Footrest** Must be at least 2" shorter than Front Seat Height **C**.  
 Measurement 14" or shorter requires an Angle Adjustable High Mount Footrest.  
 13-1/2"  14"  14-1/2"  15"  15-1/2"  16"  
 16-1/2"  17"  17-1/2"  18"  18-1/2"  19"

**F Adjustable Seat Back Height w/o Push Handles**  
 8 - 12"  12 - 16"  16 - 20" Set at: \_\_\_\_\_ (Use 1/2" increments)

**Adjustable Seat Back Height w/ Push Handles**  
 10 - 12"  13 - 16"  17 - 20" Set at: \_\_\_\_\_ (Use 1/2" increments)

**G Back Angle**  
 80°  83°  86°  89°  
 92°  95°  98°  101°

**H Center of Gravity**  
 1"  1-1/4"  1-1/2"  1-3/4"  
 2"  2-1/4"  2-1/2"  2-3/4"  
 3"  3-1/4"  3-1/2"  3-3/4"  
 4"  4-1/4"  4-1/2"  4-3/4"  
 5"  5-1/4"  5-1/2"  5-3/4"  
 6"

**I Footrest Width** (Select One)

Seat Width <b>A</b> (Outside Measurement)	Footrest Width (Inside measurement)		
	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
12"	<input type="radio"/> 10"	<input type="radio"/> 8"	
13"	<input type="radio"/> 11"	<input type="radio"/> 9"	
14"	<input type="radio"/> 12"	<input type="radio"/> 10"	
15"	<input type="radio"/> 13"	<input type="radio"/> 11"	<input type="radio"/> 9"
16"	<input type="radio"/> 14"	<input type="radio"/> 12"	<input type="radio"/> 10"
17"	<input type="radio"/> 15"	<input type="radio"/> 13"	<input type="radio"/> 11"
18"	<input type="radio"/> 16"	<input type="radio"/> 14"	<input type="radio"/> 12"
19"	<input type="radio"/> 17"	<input type="radio"/> 15"	<input type="radio"/> 13"
20"	<input type="radio"/> 18"	<input type="radio"/> 16"	<input type="radio"/> 14"

**J Rear Wheel Spacing** 0° or 2° camber must choose between 1" and 2".  
 3/4"  1"  1-1/4"  1-1/2"  1-3/4"  2"

**K Camber - Measurement**  
 0°  2°  4°  6°  8°  12°  15°  18°

**Additional Camber Tube**  
 0°  2°  4°  6°  8°  12°  15°  18°

**L Front Angle**  
 70°  80°  85°



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

Please Fax Page One and Page Four to  
**TiLite Customer Service at 866.586.2413**  
**509.586.2413**

Dealer Information: [Please Complete Dealer Info On All Faxed Pages]	
Dealer Name:	Customer Name:
Account Number:	PO Number:

- TiLite X w/Standard Features** (Fixed Front End) .....**\$1,625.09**
- TiLite SX w/Standard Features** (Swing Away Front End) .....**\$1,745.69**
- Frame Finish**
  - Satin .....**STD**
  - Polished .....**\$301.50**
- Seat Width/Depth**
  - 19" or 20" (Seat Width and/or Depth) .....**\$180.90**
- PowerAdaptable Frame**
  - Reinforced Frame (Required for Power Add-On System) .....**\$180.90**
- Non-Folding Back**
  - Straight .....**STD**
  - Straight w/Push Handles .....**\$33.17**
  - 8-Degree Bend .....**\$15.08**
  - 8-Degree Bend w/Push Handles .....**\$45.23**
  - 70°     80°     85° (See Measurement **H** on Page Two) .....**STD**
  - No Taper (See Measurement **G** on Page Two) .....**STD**
  - 1" Taper (See Measurement **G** on Page Two) .....**\$90.45**
  - 70° .....**STD**
  - 80°     \*80° ((1" Taper) See Measurement **G** on Page Two) .....**NCO**
  - 90° (7" to 13" Leg Lengths Only) .....**NCO**
  - Omit Swing Away Hangers .....**-\$45.23**
  - Short     Medium     Long (Extensions n/a w/90° Hangers) .....**NCO**
  - Flip-up .....**STD**
  - \*1-Piece, Over-Center Folding (**H** Only) .....**\$30.15**
  - Depth Adjustable Flip-up .....**\$30.15**
  - Depth and Angle Adjustable Flip-up .....**\$150.75**
  - Angle Adjustable Flip-up (n/a w/90° Hangers) .....**\$117.59**
  - \*\*High Mount Flip-up .....**\$33.17**
  - \*\*Depth Adjustable High Mount Flip-up .....**\$63.32**
  - \*\*Angle Adjustable High Mount Flip-up .....**\$117.59**
  - \*\*Angle and Depth Adjustable High Mount Flip-up .....**\$150.75**
  - Heel Loops (n/a w/13" or narrower Seat Width) .....**NCO**
  - 3" Micro-Caster .....**NCO**
  - 3" Light-Up Micro-Caster .....**\$33.17**
  - 4" Light-Up Micro-Caster .....**\$33.17**
  - 4" Billet Aluminum Wheel w/Poly Tire .....**\$66.33**
  - 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....**\$93.47**
  - 5" Plastic Wheel w/Poly Tire .....**STD**
  - 5" Billet Aluminum Wheel w/Poly Tire .....**\$81.41**
  - 5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....**\$105.53**
  - \*6" Plastic Wheel w/Poly Tire .....**NCO**
  - \*6" Plastic Wheel w/Pneumatic Tire .....**\$39.20**
  - \*6" Billet Aluminum Wheel w/Poly Tire .....**\$93.47**
  - \*6" Billet Aluminum Wheel w/Pneumatic Tire .....**\$93.47**
  - \*6" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire .....**\$117.59**
  - \*\*8" Plastic Wheel w/Poly Tire .....**NCO**
  - \*\*8" Plastic Wheel w/Pneumatic Tire .....**\$39.20**
  - Frog Legs® Suspension Forks (n/a w/8" Wheels) .....**\$198.99**
  - Caster Pin Locks .....**\$135.68**
  - Omit Front Wheels (Must Choose Wheel Size Above) .....**-\$12.06**
  - Lightweight Wheels w/Low Flange Hub .....**STD**
    - 22"(501)     24"(540)     25"(559)     26"(590)
  - High Flange Hub     24"(540)     25"(559)     26"(590) .....**\$90.45**
  - SpinerGY SPOX™ .....**\$419.09**
    - Black     Red     Yellow     Blue
    - 22"(501) - Std. Hub     24"(540) - Std. Hub
    - 25"(559) - Std. Hub     26"(590) - Sport Hub
  - Plastic Mags     20"     22"     24" .....**\$30.15**
  - Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below) .....**\$30.15**
- Front Angle**
- Front Taper**
- Swing Away Hangers**
  - \* 80° 1" Taper Hangers n/a w/High Mount Footrests.
- Extensions**
  - See Measurement **H** on Pages Two and Three to determine Extension length.
- Footrests**
  - \*n/a w/Heel Loops or Seat Widths of 19" or 20"
  - \*\* 70° and 80° Front Angles Only
- Heel Loops**
- Front Wheels**
  - See Available Front Seat Heights chart on Page Three for Front Wheel Limitations.
  - \*n/a w/85° or 90° Front Angles
- Rear Wheels**
  - See Available Rear Seat Heights chart on Page Three for Rear Wheel Limitations.
  - \*Requires 15" Min. Seat Depth. n/a w/Short Frame Length.
- Pneumatic Rear Tires**
  - Treaded (n/a w/25"(559)) .....**STD**
  - Airless Inserts (n/a w/SPOX or 20" Wheels) .....**\$75.38**
  - 25" Primo Treaded (Standard on 25" (559)) .....**STD**
  - Primo .....**NCO**
  - 24"(507) Gray Knobby (Requires High Flange Hub) .....**\$18.09**
  - 26"(554) Black Knobby (Req. High Flange Hub or SPOX) .....**\$18.09**
  - Tufo® Sew-Up Tubular 230 psi (24"(540) and 26"(590) Only) .....**\$90.45**
  - 22" (501) Pyramid .....**\$30.15**
  - Mako - KIK® (24"(540) and 25"(559) Only) .....**\$48.24**
  - Aluminum - Black Anodized .....**STD**
  - †Aluminum - Silver Anodized .....**\$30.15**
  - Titanium (n/a w/Spider or 22" Wheels or 24" Knobby Tires) .....**\$177.89**
  - \*Ergonomic Aluminum - Black .....**\$117.59**
  - \*Natural Fit™ Regular Grip .....**\$177.89**
  - \*Natural Fit™ Super Grip .....**\$205.02**
  - Plastic Coated - Black .....**\$54.27**
  - Projections (Requires Long Tabs) .....**\$138.69**
    - Vertical                       Oblique (45-degree)
    - 8 - Projections             10 - Projections
  - Long Tabs .....**STD**     Short Tabs .....**NCO**
  - Omit Handrims .....**-\$9.05**
  - \*Standard Push to Lock .....**NCO**
  - Scissor (n/a on SX) .....**\$66.33**
  - Uni-Lock - Set At:     Push     Pull .....**\$66.33**
    - Extension Handles .....**\$30.15**
  - Black .....**STD**
  - Ti Red     Royal Blue .....**\$30.15**
  - Navy Blue     Hunter Green     Purple .....**\$30.15**
  - Padded, Nylon .....**STD**
  - Tension Adjustable by Straps .....**\$60.30**
  - Omit Back Upholstery .....**NCO**
  - Tension Adjustable Bolt On (Black Only) .....**STD**
  - Omit Seat Upholstery .....**NCO**
  - Foam Cushion     2"     3"     4" .....**\$54.27**
  - † StimuLITE® Sport (2" Black Only) .....**\$256.28**
  - † ROHO® Custom Cushion (Contoured, Black Only) .....**\$358.79**
  - Cloth .....**\$39.20**
  - Rigid Removable     Small     Std .....**\$105.53**
  - Quad Removable w/Hole     Small     Std .....**\$111.56**
  - Standard Camber (0°, 2°, 4°, 6° or 8°) .....**STD**
  - Additional Camber Plug Pair (0°, 2°, 4°, 6° or 8°) .....**\$90.45**
  - Stainless Quick Release .....**STD**
  - Titanium Quick Release (n/a w/26" SPOX Wheels) .....**\$105.53**
  - Quad Release (n/a w/SPOX Wheels) .....**\$57.29**
  - Amputee Axle Plate (n/a w/Swing Away Armrests) .....**\$75.38**
  - Swing Away - Tubular .....**\$111.56**
  - Removable Desk Arms (w/Adj. Height Rigid Side Guard) .....**\$195.98**
    - 9" to 12"                       12" to 15"
  - Removable Desk Arm w/Transfer Loop (15" Min. Seat Depth) .....**\$226.13**
    - 9" to 12"                       12" to 15"
- Solid Rear Tires**
- Handrims**
- Wheel Locks**
  - \*3/4" to 1 1/2" wheel spacing only. Wheel spacing greater than 1 1/2" requires Scissor or Uni-Lock.
- Upholstery Colors**
- Back Upholstery**
- Seat Upholstery**
- Seat Cushions**
  - (SIN F-5)
  - StimuLITE Ranges 13" X 15" to 20" X 20"
  - Corbee Ranges 12" X 12" to 14" X 14"
- Side Guards**
- Camber**
- Axles and Plates**
- Armrests**
- Seat Belts**
- Frame Protectors**
- Calf Strap**
- Back Pack**
- Seat Pouch**
- Spoke Guards**
- Anti-Tips**
- Accessories**
  - Luggage Carriers (n/a w/High Mount Flip-up Footrests) .....**\$60.30**
  - Stroller Handles (n/a w/Push Handle Backs) .....**\$117.59**
  - Travel Wheels (n/a w/Anti-Tips, Adj. Camber or Amputee Adapter) .....**\$180.90**

† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
 †† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.






1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

# TiLite Measurement Guide

## Page Two

- A Seat Width**  
Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.
- B Seat Depth/Frame Length**  
Measure from 1/2" in front of back post to the front edge of seat sling. Choose from 12" to 20" in 1" increments. See Seat Depth/Frame Length Combinations chart on Page Three.
- C Front Seat Height**  
Measure from floor to top of seat tube at beginning of bend. Choose 15" to 21" in 1/2" increments. See Available Front Seat Heights chart on Page Three.
- D Rear Seat Height**  
Measure from floor to top of seat tube at back post. Choose from 14" to 21" in 1/2" increments. See Available Rear Seat Heights chart on Page Three.
- E Seat Back Height**  
Measure from top of back post to top of seat tube at rear of frame. Choose 11" to 14" or 15" to 18". Seat Back Height adjusts in 1" increments.
- F Camber**  
Choose either 0°, 2°, 4°, 6° or 8°.
- G Front Taper**  
Choose no taper or 1" taper. If no taper is selected, footrest width will be 2" narrower than Seat Width. If 1" taper is selected, footrest width will be 4" narrower than Seat Width. 1" Taper shown below.
- H Front Angle (⚙ Only)**  
Measure from inside of front frame tube to top of bottom frame tube. Choose 70°, 80° or 85°. 80° front angle shown at right.
- I Seat To Footrest (Extensions)**  
Measure from front edge of seat sling to top rear of footrest. Seat to Footrest measurement must be at least 2" shorter than front seat height. See chart on Page Three for available extension lengths. If required length is not shown, either a High Mount Footrest or a 90° Swing Away Hanger (⚙ only) is required. For leg lengths shorter than 7" please contact TiLite Customer Service.




1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)


Prices, standard features, options and accessories are subject to change without notice. [11/04]

### Seat Depth/Frame Length Combinations

 Frame Length Chart



 Frame Length Chart



Available Front Seat Heights 

Front Caster Size	Height Ranges
3"	14 3/16" to 18 3/8"
3" Frog Legs	15 15/16" to 17 7/8"
4"	14 11/16" to 18 7/8"
4" Frog Legs	16 7/16" to 18 3/8"
5"	16 15/16" to 19 3/8"
5" Frog Legs	17 7/16" to 18 7/8"
6"	17 7/16" to 19 7/8"
6" Frog Legs	18 3/16" to 19 11/16"
8"	19 1/4" to 20 7/8"

Available Rear Seat Heights 

Rear Tire Size	Height Ranges
22" Pyramid	12 1/4" to 17 3/4"
22" Primo	12 5/8" to 18 1/8"
22" Treaded	13 1/8" to 18 5/8"
24" Mako	13 3/8" to 18 7/8"
24" Primo/Tufo	13 3/8" to 18 7/8"
24" Treaded/Knobby	13 5/8" to 19 1/8"
25" Primo/Primo Treaded	13 7/8" to 19 3/8"
25" Mako	13 5/8" to 19 1/8"
26" Primo/Tufo	14 3/8" to 19 7/8"
26" Treaded/Knobby	14 5/8" to 20 1/8"

 Front Angle/Seat to Footrest (Extension) Combinations  

Non-Angle Adjustable Flip-up and 1-Piece Over-Center Footrests			
Leg Length			
Extensions	70°	80°	85°
Short	16 1/4" to 18 1/8"	15" to 17"	14 1/2" to 16 1/2"
Medium	18" to 20"	16 3/4" to 18 3/4"	16 3/8" to 18 1/4"
Long	20 1/8" to 22"	18 3/4" to 20 3/4"	18 3/8" to 20 3/8"

Angle Adjustable Flip-up Footrests			
Leg Length			
Extensions	70°	80°	85°
Short	17" to 18 7/8"	15 5/8" to 17 3/8"	15 1/4" to 17"
Medium	17 7/8" to 19 5/8"	16 5/8" to 18 1/2"	16 1/8" to 18 1/8"
Long	19 3/4" to 21 5/8"	18 5/8" to 20 3/8"	18 1/8" to 20"

 Front Angle/Seat to Footrest (Extension) Combinations 

Non-Angle Adjustable Flip-up Footrests		
Leg Length		
Extensions	70°	80° & 80° Tapered
Short	13 7/8" to 16 3/8"	13 3/4" to 16 1/4"
Medium	15 3/4" to 18 1/4"	15 5/8" to 18 1/8"
Long	17 5/8" to 20 1/8"	17 1/2" to 20"

Angle Adjustable Flip-up Footrests		
Leg Length		
Extensions	70°	80° & 80° Tapered
Short	14 1/2" to 16 1/2"	14 3/4" to 16 3/4"
Medium	15" to 17 1/2"	15 1/4" to 17 3/4"
Long	17 1/4" to 20"	17 1/4" to 19 3/4"





Please Fax Page One and Page Four to  
TiLite Customer Service at **866.586.2413**  
**509.586.2413**

Dealer Information: [Please Complete Dealer Info On All Faxed Pages]	
Dealer Name:	Customer Name:
Account Number:	PO Number:

<b>TiLite XC w/Standard Features</b> .....	<b>\$1,866.29</b>
<b>Frame Finish</b>	<input type="radio"/> Satin ..... <b>STD</b>
	<input type="radio"/> Polished ..... <b>\$301.50</b>
<b>Seat Width/Depth</b>	<input type="radio"/> 19" or 20" (Seat Width and/or Depth) ..... <b>\$180.90</b>
<b>Non-Folding Back</b>	<input type="radio"/> Titanium Adjustable Height ..... <b>STD</b>
	<input type="radio"/> Titanium Fixed Height ..... <b>NCO</b>
	<input type="radio"/> Push Handles (n/a w/Non-Adjustable Height Back) ..... <b>\$51.26</b>
<b>Footrests</b>	<input type="radio"/> Flip-up ..... <b>STD</b>
	<input type="radio"/> High Mount Flip-up (Req. for 13" or Shorter Seat to Footrest) ..... <b>\$27.14</b>
<small>*n/a w/Heel Loops or Seat Widths of 19" or 20"</small>	<input type="radio"/> *One-Piece, Over-Center Folding ..... <b>\$30.15</b>
	<input type="radio"/> Angle Adjustable Flip-up ..... <b>\$90.45</b>
	<input type="radio"/> Angle Adjustable High Mount Flip-up ..... <b>\$117.59</b>
<b>Heel Loops</b>	<input type="radio"/> Heel Loops (n/a w/13" or Narrower Seat Width) ..... <b>NCO</b>
<b>Front Wheels</b>	<input type="radio"/> 3" Micro-Caster ..... <b>STD</b>
	<input type="radio"/> 3" Light-Up Micro-Caster ..... <b>\$33.17</b>
	<input type="radio"/> 4" Light-Up Micro-Caster ..... <b>\$33.17</b>
	<input type="radio"/> 4" Billet Aluminum Wheel w/Poly Tire ..... <b>\$66.33</b>
	<input type="radio"/> 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ..... <b>\$93.47</b>
	<input type="radio"/> 5" Plastic Wheel w/Poly Tire ..... <b>NCO</b>
	<input type="radio"/> 5" Billet Aluminum Wheel w/Poly Tire ..... <b>\$84.41</b>
	<input type="radio"/> 5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ..... <b>\$105.53</b>
<small>*n/a w/85° Front Angle</small>	<input type="radio"/> *6" Plastic Wheel w/Poly Tire ..... <b>NCO</b>
	<input type="radio"/> *6" Plastic Wheel w/Pneumatic Tire ..... <b>\$39.20</b>
	<input type="radio"/> *6" Billet Aluminum Wheel w/Poly Tire ..... <b>\$93.47</b>
	<input type="radio"/> *6" Billet Aluminum Wheel w/Pneumatic Tire ..... <b>\$93.47</b>
	<input type="radio"/> *6" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ..... <b>\$117.59</b>
	<input type="radio"/> Frog Legs® Suspension Forks (Silver) ..... <b>\$198.99</b>
	<input type="radio"/> Caster Pin Locks ..... <b>\$135.68</b>
	<input type="radio"/> Omit Front Wheels (Must Choose Wheel Size Above) ..... <b>\$12.06</b>
<b>Rear Wheels</b>	<input type="radio"/> Lightweight Wheels w/Low Flange Hub ..... <b>STD</b>
<small>*Requires 15" Min. Seat Depth</small>	<input type="radio"/> 22"(501) <input type="radio"/> 24"(540) <input type="radio"/> *25"(559) <input type="radio"/> *26"(590)
	<input type="radio"/> High Flange Hub <input type="radio"/> 24"(540) <input type="radio"/> *25"(559) <input type="radio"/> *26"(590) ..... <b>\$90.45</b>
	<input type="radio"/> Spinerge SPOX™ ..... <b>\$419.09</b>
	<input type="radio"/> Black <input type="radio"/> Red <input type="radio"/> Yellow <input type="radio"/> Blue
	<input type="radio"/> 22"(501) - Std. Hub <input type="radio"/> 24"(540) - Std. Hub
	<input type="radio"/> *25"(559) - Std. Hub <input type="radio"/> *26"(590) - Sport Hub
	<input type="radio"/> Plastic Mags <input type="radio"/> 22" <input type="radio"/> 24" ..... <b>\$30.15</b>
	<input type="radio"/> Omit Rear Wheels (Must Choose Wheel Size Above and Tire Type Below) ..... <b>\$30.15</b>
<b>Pneumatic Rear Tires</b>	<input type="radio"/> Treaded (n/a w/25" (559)) ..... <b>STD</b>
	<input type="radio"/> Airless Inserts (n/a w/SPOX Wheels) ..... <b>\$75.38</b>
	<input type="radio"/> 25" Primo Treaded (Standard on 25" (559)) ..... <b>STD</b>
	<input type="radio"/> Primo ..... <b>NCO</b>
	<input type="radio"/> 24"(507) Gray Knobby (Req. High Flange Hub) ..... <b>\$18.09</b>
	<input type="radio"/> 26"(559) Black Knobby (Req. High Flange Hub or SPOX) ..... <b>\$18.09</b>
	<input type="radio"/> Tufo Sew-Up Tubular 230 psi (24"(540) and 26"(590) Only) ..... <b>\$90.45</b>
<b>Solid Rear Tires</b>	<input type="radio"/> 22"(501) Pyramid® ..... <b>\$30.15</b>
	<input type="radio"/> Mako - KIK® (24"(540) and 25"(559) Only) ..... <b>\$48.24</b>

<b>Handrims</b>	<input type="radio"/> Aluminum – Black Anodized ..... <b>STD</b>
	<input type="radio"/> † Aluminum – Silver Anodized ..... <b>\$30.15</b>
	<input type="radio"/> Titanium (n/a w/22" Wheels or 24" Knobby Tires) ..... <b>\$177.89</b>
<small>*n/a w/22" or 26" Wheels or 24" Knobby Tires</small>	<input type="radio"/> *Ergonomic Aluminum - Black ..... <b>\$117.59</b>
	<input type="radio"/> *Natural Fit™ Regular Grip ..... <b>\$177.89</b>
	<input type="radio"/> *Natural Fit™ Super Grip ..... <b>\$205.02</b>
	<input type="radio"/> Plastic Coated – Black ..... <b>\$54.27</b>
	<input type="radio"/> Projections (Requires Long Tabs) ..... <b>\$138.69</b>
	<input type="radio"/> Vertical <input type="radio"/> Oblique (45-degree)
	<input type="radio"/> 8 - Projections <input type="radio"/> 10 - Projections
	<input type="radio"/> Long Tabs ..... <b>STD</b> <input type="radio"/> Short Tabs ..... <b>NCO</b>
	<input type="radio"/> Omit Handrims ..... <b>\$9.05</b>
	<input type="radio"/> *Standard Push to Lock ..... <b>NCO</b>
	<input type="radio"/> Scissor ..... <b>\$66.33</b>
<b>Wheel Locks</b>	<input type="radio"/> Uni-Lock Set At: <input type="radio"/> Push <input type="radio"/> Pull ..... <b>\$66.33</b>
<small>*3/4" to 1 1/2" wheel spacing only. Wheel spacing greater than 1 1/2" requires Scissor or Uni-Lock.</small>	<input type="radio"/> Extension Handles ..... <b>\$30.15</b>
<b>Upholstery Colors</b>	<input type="radio"/> Black ..... <b>STD</b>
	<input type="radio"/> Ti Red <input type="radio"/> Royal Blue ..... <b>\$30.15</b>
	<input type="radio"/> Navy Blue <input type="radio"/> Hunter Green <input type="radio"/> Purple ..... <b>\$30.15</b>
<b>Back Upholstery</b>	<input type="radio"/> Velcro Adjustable ..... <b>STD</b>
	<input type="radio"/> Tension Adjustable by Straps ..... <b>\$60.30</b>
	<input type="radio"/> Omit Back Upholstery ..... <b>NCO</b>
<b>Seat Upholstery</b>	<input type="radio"/> Tension Adjustable Bolt On (Black Only) ..... <b>STD</b>
	<input type="radio"/> Omit Seat Upholstery ..... <b>NCO</b>
	<input type="radio"/> Foam Cushion <input type="radio"/> 2" <input type="radio"/> 3" <input type="radio"/> 4" ..... <b>\$54.27</b>
<b>Seat Cushions</b>	<input type="radio"/> † StimuLITE® Sport (2" Black Only) ..... <b>\$256.28</b>
<small>(SIN F-5) StimuLITE Ranges 13" X 15" to 20" X 20" Corbee Ranges 12" X 12" to 14" X 14"</small>	<input type="radio"/> † ROHO® Custom Cushion (Contoured, Black Only) ..... <b>\$358.79</b>
<b>Side Guards</b>	<input type="radio"/> Cloth ..... <b>\$39.20</b>
	<input type="radio"/> Rigid Removable <input type="radio"/> Small <input type="radio"/> Std ..... <b>\$105.53</b>
	<input type="radio"/> Quad Removable w/Hole <input type="radio"/> Small <input type="radio"/> Std ..... <b>\$111.56</b>
	<input type="radio"/> Fixed Aluminum (Non-Folding Back Only) ..... <b>\$150.75</b>
<b>Camber</b>	<input type="radio"/> Standard Camber (0°, 2° or 4°) ..... <b>STD</b>
	<input type="radio"/> Additional Camber Plug Pair (0°, 2° or 4°) ..... <b>\$90.45</b>
<b>Axles</b>	<input type="radio"/> Stainless Quick Release ..... <b>STD</b>
	<input type="radio"/> Titanium Quick Release (n/a w/26" SPOX Wheels) ..... <b>\$105.53</b>
	<input type="radio"/> Quad Release (n/a w/SPOX Wheels) ..... <b>\$57.29</b>
<b>Armrests</b>	<input type="radio"/> Swing Away - Tubular (Requires 85° or 90° Back Angle) ..... <b>\$111.56</b>
	<input type="radio"/> Removable Desk Arms (w/Adj. Height Rigid Side Guard) ..... <b>\$195.98</b>
	<input type="radio"/> 9" to 12" <input type="radio"/> 12" to 15"
	<input type="radio"/> Removable Desk Arm w/Transfer Loop (15" Min. Seat Depth) ..... <b>\$226.13</b>
	<input type="radio"/> 9" to 12" <input type="radio"/> 12" to 15"
<b>Seat Belts</b>	<input type="radio"/> Velcro Adjustable, Black Nylon Webbing ..... <b>\$24.12</b>
	<input type="radio"/> Auto-Style Release Buckle ..... <b>\$33.17</b>
<b>Frame Protectors</b>	<input type="radio"/> Neoprene (n/a w/Angle Adjustable High Mount Footrest) ..... <b>\$24.12</b>
<b>Calf Strap</b>	<input type="radio"/> Buckle Adjustable, Black Nylon Webbing ..... <b>\$6.03</b>
<b>Back Pack</b>	<input type="radio"/> Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... <b>\$42.21</b>
	<input type="radio"/> Large - Black Nylon (Fits 14" - 20" Seat Widths) ..... <b>\$57.29</b>
<b>Seat Pouch</b>	<input type="radio"/> Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... <b>\$24.12</b>
	<input type="radio"/> Large - Black Nylon (Fits 14" - 20" Seat Widths) ..... <b>\$27.14</b>
<b>Spoke Guards</b>	<input type="radio"/> Clear Lexan Plastic w/TiLite™ Logo (n/a w/Plastic Mags) ..... <b>\$54.27</b>
<b>Anti-Tips</b>	<input type="radio"/> Rear Aluminum - Black ..... <b>\$75.38</b>
<b>Accessories</b>	<input type="radio"/> Luggage Carriers (n/a w/High Mount Flip-up Footrest) ..... <b>\$60.30</b>

† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
†† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.

1426 East Third Avenue | Kennewick, Washington 99337  
509.586.6117 Tel | 800.545.2266 Toll-Free  
509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)



Prices, standard features, options and accessories are subject to change without notice. [11/04]  
TiLite, The Ultimate Ride and The Titanium Experts are trademarks of TiSport, LLC.

The Ultimate Ride.™  
OF00504

**B Seat Depth**

Measure from 1/2" in front of back post to the front edge of seat sling. Front edge of seat sling is approximately 1" behind beginning of bend in seat tube. Choose 14" to 20" in 1" increments.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 15" to 21" in 1/2" increments. Maximum 3" difference between **C** and **D**.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose 14" to 20" in 1/2" increments. Maximum 3" difference between **C** and **D**. See Maximum Rear Seat Height chart below.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose 13" to 19" in 1/2" increments. Seat to Footrest measurement must be at least 2" shorter than Front Seat Height. Measurement 13" or shorter requires a High Mount Footrest.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. For **Adjustable Height Back w/o Push Handles**, choose 12"-16" or 14"-18". For **Adjustable Height Back w/ Push Handles**, choose 13"-16" or 15"-18". For **Non-Adjustable Back**, choose 8" to 20". Seat Back Height adjusts in 1/2" increments.

**G Back Angle**


Measure angle from front of back post to top of seat tube. Choose 85° to 100° in 1° increments.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. With 1" or 2" difference between **C** and **D**, a maximum of 4" forward is allowed. With a 3" difference between **C** and **D**, a maximum of 5" forward is allowed.

**L Front Angle**

Measure inside of front frame tube to top of bottom frame tube. Choose 70°, 80° or 85°. 85° front angle shown at right.



**Maximum Rear Seat Heights **D****

Tire Size	Maximum Height
22" Pyramid	18"
22" Primo	18"
22" Treaded	18"
24" Mako	19"
24" Primo/Tufo	19"
24" Treaded/Knobby	19"
25" Primo/Primo Treaded	19"
25" Mako	19"
26" Primo/Tufo	20"
26" Treaded/Knobby	20"



1426 East Third Avenue | Kennewick, Washington 99337

509.586.6117 Tel | 800.545.2266 Toll-Free

509.586.2413 Fax | 866.586.2413 Toll-Free Fax

Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

**A Seat Width**

Measure from outside of seat tube to outside of opposite seat tube. Choose 12" to 20" in 1" increments.

**I Footrest Width**


Footrest is available 2" or 4" narrower than Seat Width **A**. Measure from inside of front frame tube to inside of opposite front frame tube. A Footrest Width that is 2" narrower than Seat Width has no front frame taper.

**J Rear Wheel Spacing**

Measure from outside of back post to inside top of rear tire. With a 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2".

**K Camber**

Choose either 0°, 2° or 4°. Additional Camber Plug Pairs available (See Page One).



Dealer Information: [Please Complete Dealer Info On All Faxed Pages]			Ship To:		
Dealer Name:	Ordered By:		Name:		
Address:			Address:		
City:	State:	Zip Code:	City:	State:	Zip Code:
Phone Number:	Fax Number:		Phone Number:	Fax Number:	

**Order Information**

Account Number: \_\_\_\_\_

PO Number: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Shipping Method: \_\_\_\_\_

**TiLite Information**

Order Date: \_\_\_\_\_

Ship Date: \_\_\_\_\_

Order Number: \_\_\_\_\_

- A Seat Width** (Outside Measurement)  
 12"  13"  14"  15"  16"  17"  18"  19"  20"
- B Seat Depth**  
 14"  15"  16"  17"  18"  19"  20"
- C Front Seat Height** Maximum difference of 3" allowed between Front Seat Height **C** and Rear Seat Height **D**.  
 15"  15-1/2"  16"  16-1/2"  17"  17-1/2"  
 18"  18-1/2"  19"  19-1/2"  20"  20-1/2"  21"
- D Rear Seat Height** Maximum difference of 3" allowed between Front Seat Height **C** and Rear Seat Height **D**.  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  19"  19-1/2"  20"
- E Seat To Footrest** Must be at least 2" shorter than Front Seat Height **C**.  
 13" or shorter requires a High Mount Flip-up Footrest.  
 13"  13-1/2"  14"  14-1/2"  15"  15-1/2"  
 16"  16-1/2"  17"  17-1/2"  18"  18-1/2"  19"
- F Adjustable Seat Back Height w/o Push Handles**  
 12" - 16"  14" - 18" Set at: \_\_\_\_\_ (Use 1/2" increments)
- Adjustable Seat Back Height w/ Push Handles**  
 13" - 16"  15" - 18" Set at: \_\_\_\_\_ (Use 1/2" increments)
- F Non-Adjustable Seat Back Height**  
 8"  8-1/2"  9"  9-1/2"  10"  10-1/2"  
 11"  11-1/2"  12"  12-1/2"  13"  13-1/2"  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  19"  19-1/2"  20"

- G Back Angle**  
 85°  86°  87°  88°  89°  90°  91°  92°  
 93°  94°  95°  96°  97°  98°  99°  100°
- H Center of Gravity**  
 1-1/2"  1-3/4"  2"  2-1/4"  2-1/2"  2-3/4"  
 3"  3-1/4"  3-1/2"  3-3/4"  4"  4-1/4"  
 4-1/2"  4-3/4"  5"  5-1/4"  5-1/2"  5-3/4"  6"
- I Footrest Width** (Select One)
- | Seat Width <b>A</b><br>(Outside Measurement) | Footrest Width (Inside Measurement) |                                |
|--|-------------------------------------|--------------------------------|
|  | 2" Narrower than<br>Seat Width      | 4" Narrower than<br>Seat Width |
| 12"  | <input type="radio"/> 10"           | <input type="radio"/> 8"       |
| 13"  | <input type="radio"/> 11"           | <input type="radio"/> 9"       |
| 14"  | <input type="radio"/> 12"           | <input type="radio"/> 10"      |
| 15"  | <input type="radio"/> 13"           | <input type="radio"/> 11"      |
| 16"  | <input type="radio"/> 14"           | <input type="radio"/> 12"      |
| 17"  | <input type="radio"/> 15"           | <input type="radio"/> 13"      |
| 18"  | <input type="radio"/> 16"           | <input type="radio"/> 14"      |
| 19"  | <input type="radio"/> 17"           | <input type="radio"/> 15"      |
| 20"  | <input type="radio"/> 18"           | <input type="radio"/> 16"      |

- J Rear Wheel Spacing** 0° or 2° camber must choose between 1" and 2".  
 3/4"  1"  1-1/4"  1-1/2"  1-3/4"  2"
- K Camber**  
 0°  2°  4°  
**Additional Camber Plug Pair**  
 0°  2°  4°
- L Front Angle**  
 70°  80°  85°



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

Please Fax Page One and Page Four to  
 TiLite Customer Service at **866.586.2413**  
**509.586.2413**

Dealer Information: [Please Complete Dealer Info On All Faxed Pages]	
Dealer Name:	Customer Name:
Account Number:	PO Number:

- **TiLite ZRA w/Standard Features** (Adjustable Front and Rear Seat Heights) ... **\$1,625.09**
- **TiLite ZR w/Standard Features** (Fixed Front and Rear Seat Heights) ..... **\$1,745.69**
- "C" Package** ○ Tapered Seat and/or V-Front End ..... **\$120.60**
- Frame Finish** ○ Satin ..... **STD**
- Polished ..... **\$301.50**
- Seat Width/Depth** ○ 19" or 20" (Seat Width and/or Depth) ..... **\$180.90**
- Custom Depth** ○ Frame Depth Longer or Shorter Than Seat Depth ... **\$90.45**
- PowerAdaptable Frame** ○ Reinforced Frame (Required for Power Add-On System) ... **\$180.90**
- Folding Back** ○ Aluminum Adjustable Height and Angle w/Ti Back Release Bar **STD**
- 4" Deep Backrest Rigidizer Bar ..... **NCO**
- Titanium Adjustable Height and Angle w/Ti Back Release Bar **\$90.45**
- Push Handles Integrated on Back Posts ..... **\$51.26**
- Footrests** ○ Titanium w/Flat ABS Cover ..... **STD**
- 13" or Shorter  
                    Seat to Footrest  
                    Measurement Requires  
                    an Angle Adjustable  
                    High Mount Footrest.
- Titanium Open Loop ..... **\$57.29**
- Angle Adjustable ..... **NCO**
- Angle Adjustable High Mount ..... **\$27.14**
- ABS Cover w/2" Sides (Available On All Footrests) ..... **\$90.45**
- Front Wheels** ○ 3" Micro-Caster ..... **STD**
- 3" Light-Up Micro-Caster ..... **\$33.17**
- 4" Light-Up Micro-Caster ..... **\$33.17**
- 4" Billet Aluminum Wheel w/Poly Tire ..... **\$66.33**
- 4" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ... **\$93.47**
- \***n/a w/90° Front Angle**
- \*5" Plastic Wheel w/Poly Tire ..... **NCO**
- \*5" Billet Aluminum Wheel w/Poly Tire ..... **\$81.41**
- \*5" 2-Piece Billet Aluminum Wheel w/Soft Roll Tire ... **\$105.53**
- \*\***n/a w/85° or 90° Front Angles**
- \*\*6" Plastic Wheel w/Poly Tire ..... **NCO**
- \*\*6" Plastic Wheel w/Pneumatic Tire ..... **\$39.20**
- \*\*6" Billet Aluminum Wheel w/Poly Tire ..... **\$93.47**
- \*\*6" Billet Aluminum Wheel w/Pneumatic Tire ..... **\$93.47**
- Frog Legs® Suspension Forks (Pewter) ..... **\$217.08**
- \*\*\***n/a on ZR**
- \*\*\*Caster Pin Locks (See Page Three for Diagram) ..... **\$135.68**
- Omit Front Wheels (Must Choose Wheel Size Above) ..... **-\$12.06**
- Rear Wheels** ○ Lightweight Wheels w/Low Flange Hub ..... **STD**
- 20"(451) ○ 22"(501) ○ 24"(540) ○ 25"(559) ○ 26"(590)
- High Flange Hub ○ 24"(540) ○ 25"(559) ○ 26"(590) **\$90.45**
- Spinerger SPOX™ ○ Black ○ Red ○ Yellow ○ Blue ... **\$419.09**
- 22"(501) - Std. Hub ○ 24"(540) - Std. Hub
- 25"(559) - Std. Hub ○ 26"(590) - Sport Hub
- Plastic Mags ○ 20" ○ 22" ○ 24" ..... **\$30.15**
- Omit (Must Choose Wheel Size Above and Tire Type Below) ... **\$30.15**
- Pneumatic Rear Tires** ○ Treaded (n/a w/25" (559)) ..... **STD**
- Airless Inserts (n/a w/SPOX or 20" Wheels) ..... **\$75.38**
- 25" Primo Treaded (Standard on 25" (559)) ..... **STD**
- Primo ..... **NCO**
- 24"(507) Gray Knobby (Requires High Flange Hub) ..... **\$18.09**
- 26"(559) Black Knobby (Requires High Flange Hub or SPOX) ... **\$18.09**
- Tufo Sew-Up Tubular 230psi (24"(540) & 26"(590) Only) ... **\$90.45**
- Solid Rear Tires** ○ 20" (451) Treaded Poly ..... **\$18.09**
- 22" (501) Pyramid ..... **\$30.15**
- Mako - KIK® (24"(540) and 25"(559) Only) ..... **\$48.24**

- Handrims** ○ Aluminum – Black Anodized ..... **STD**
- †Aluminum – Silver Anodized ..... **\$30.15**
- Titanium (n/a w/22" Wheels or 24" Knobby Tires) ..... **\$177.89**
- \***n/a w/22" or 26" Wheels or 24" Knobby Tires**
- \*Ergonomic Aluminum - Black ..... **\$117.59**
- \*Natural Fit™ Regular Grip ..... **\$177.89**
- \*Natural Fit™ Super Grip ..... **\$205.02**
- Plastic Coated – Black ..... **\$54.27**
- Projections (Requires Long Tabs) ..... **\$138.69**
- Vertical ○ Oblique (45-degree)
- 8 - Projections ○ 10 - Projections
- Long Tabs ..... **STD** ○ Short Tabs ..... **NCO**
- Omit Handrims ..... **-\$9.05**
- \*Standard Push to Lock ..... **NCO**
- Scissor ..... **\$66.33**
- Uni-Lock Set At: ○ Push ○ Pull ..... **\$66.33**
- Extension Handles ..... **\$30.15**
- Upholstery Colors** ○ Black ..... **STD**
- Ti Red ○ Royal Blue ..... **\$30.15**
- Navy Blue ○ Hunter Green ○ Purple ..... **\$30.15**
- Back Upholstery** ○ Velcro Adjustable ..... **STD**
- Tension Adjustable by Straps ..... **\$60.30**
- Omit Back Upholstery ..... **NCO**
- Seat Upholstery** ○ Tension Adjustable Bolt On (n/a w/"C" Package) ..... **STD**
- Tension Adjustable by Straps (STD on "C" Package (Black Only)) **\$60.30**
- Omit Seat Upholstery ..... **NCO**
- Foam Cushion ○ 2" ○ 3" ○ 4" ..... **\$54.27**
- † StimuLITE® Sport (2" Black Only) ..... **\$256.28**
- † ROHO® Custom Cushion (Contoured, Black Only) ... **\$358.79**
- Side Guards** ○ Cloth ..... **\$39.20**
- Rigid Removable ○ Small ○ Std ..... **\$105.53**
- Quad Removable w/Hole ○ Small ○ Std ..... **\$111.56**
- Camber** ○ Standard Camber (0°, 2°, 4°, 6°, 8° or 12°) ..... **STD**
- Optional Camber (15° or 18°) ..... **\$30.15**
- Additional Camber Tube (0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°) ... **\$90.45**
- Axles and Stems** ○ Stainless Quick Release ..... **STD**
- Titanium Quick Release (n/a w/26" SPOX Wheels) ..... **\$105.53**
- Quad Release (n/a w/SPOX Wheels) ..... **\$57.29**
- \***n/a w/TiLite ZR or Frog Legs**
- \*Extra Stem Extensions ○ 1/2" ○ 1" ..... **\$18.09**
- Extra Spacers to Increase Rear Wheel Spacing ..... **NCO**
- Swing Away - Tubular ○ 9" - 12" ○ 11" - 14" **\$111.56**
- Armrests** ○ Velcro Adjustable, Black Nylon Webbing ..... **\$24.12**
- Seat Belts** ○ Auto-Style Release Buckle ..... **\$33.17**
- Frame Protectors** ○ Neoprene ..... **\$24.12**
- Calf Strap** ○ Buckle Adjustable, Black Nylon Webbing ..... **\$6.03**
- Back Pack** ○ Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... **\$42.21**
- Large - Black Nylon (Fits 14" - 18" Seat Widths) ..... **\$57.29**
- Seat Pouch** ○ Small - Black Nylon (Fits 12" - 16" Seat Widths) ..... **\$24.12**
- Large - Black Nylon (Fits 14" - 18" Seat Widths) ..... **\$27.14**
- Spoke Guards** ○ Clear Lexan Plastic w/TiLite™ Logo (n/a w/Plastic Mags) ... **\$54.27**
- Anti-Tips** ○ Rear Aluminum - Black (n/a on ZR) ..... **\$75.38**
- Front Anti-Tip (n/a w/Angle Adj. High Mount Footrest) ..... **\$57.29**
- Accessories** ○ Luggage Carriers ..... **\$60.30**

† Please allow an additional 2-3 weeks delivery on all marked (†) items and custom orders.  
 †† All items are SIN F-1 except Seat Cushions which are SIN F-5. All prices are net of government discounts.



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]

## Use This Page for ZR and ZRA Measurements if "C" Package is Not Ordered

**A Rear Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.

**B Seat Depth**

Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame, unless Frog Legs or a 90° Front Angle is ordered, in which case front edge of seat sling begins approximately 1" behind the bend. Choose from 12" to 20" in 1" increments.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 16" to 21" in 1/2" increments. Note: Front Seat Height is adjustable up or down by 1/2" with 3", 4" or 5" casters. All other Front Seat Height Adjustments require Stem Extensions. See Page One under Axles and Stems.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose from 14" to 20" in 1/2" increments.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose 13-1/2 to 19" in 1/2" increments. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height measurement. Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. Choose 8-1/2" - 12-1/2", 12-1/2" - 16-1/2" or 16-1/2" - 20-1/2". If push handles are ordered, choose 9-1/2" - 12-1/2", 13-1/2" - 16-1/2" or 17-1/2" - 20-1/2". Seat Back Height adjusts in 1/2" increments.

**G Back Angle**

Measure angle from front of back post to floor. Choose 80° to 101° in 3° increments. 90° will be perpendicular to the floor.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. Choose from 1" to 6" in 1/4" increments.

**I Footrest Width**

Footrest is available 2-1/2", 4" or 6" narrower than seat width. A Footrest Width that is 2 1/2" narrower than Rear Seat Width **A** has no front frame taper. Measure inside of front frame tube to inside of opposite front frame tube. 6" narrower n/a on 12", 13" or 14" Seat Widths.

**J Rear Wheel Spacing**



Measure from outside of back post to inside top of rear tire. With 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2".

**K Camber**

Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°.


**L Front Angle**

Measure from frame front to floor. Choose 70°, 75°, 80°, 85° or 90°. 85° Front Angle shown at right.




**Frame Notes**


If a TiLite ZR is ordered, the front caster barrel will be welded in place (Diagram 1) and the rear seat height will be fixed in place (Diagram 2). The Center of Gravity will adjust 1 1/4" forward and backward.



**Diagram 1**  
ZR Fixed Front Caster



**Diagram 2**  
ZR Fixed Rear Seat Height



## Use This Page for ZR and ZRA Measurements if "C" Package is Ordered

**A Rear Seat Width**

Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post. Choose 12" to 20" in 1" increments.

**B Seat Depth**

Measure from front of back post to the front edge of seat sling. Front edge of seat sling will be at the beginning of the bend at front of chair frame, unless Frog Legs or a 90° Front Angle is ordered, in which case front edge of seat sling begins approximately 1" behind the bend. Choose from 12" to 20" in 1" increments.

**C Front Seat Height**

Measure from floor to top of seat tube at beginning of bend. Choose 16" to 21" in 1/2" increments. Note: Front Seat Height is adjustable up or down by 1/2" with 3", 4" or 5" casters. All other Front Seat Height Adjustments require Stem Extensions. See Page One under Axles and Stems.

**D Rear Seat Height**

Measure from floor to top of seat tube at back post. Choose from 14" to 20" in 1/2" increments.

**E Seat To Footrest**

Measure from front edge of seat sling to top rear of footrest. Choose 13-1/2 to 19" in 1/2" increments. Seat To Footrest measurement must be at least 2" shorter than Front Seat Height measurement. Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest.

**F Seat Back Height**

Measure from top of back post to top of seat tube at rear of frame. Choose 8-1/2" - 12-1/2", 12-1/2" - 16-1/2" or 16-1/2" - 20-1/2". If push handles are ordered, choose 9-1/2" - 12-1/2", 13-1/2" - 16-1/2" or 17-1/2" - 20-1/2". Seat Back Height adjusts in 1/2" increments.

**G Back Angle**

Measure angle from front of back post to floor. Choose 80° to 101° in 3° increments. 90° will be perpendicular to the floor.

**H Center of Gravity**

Measure from front of back post at the seat tube to the center of the rear axle. Choose from 1" to 6" in 1/4" increments.

**I Front Seat Width (Tapered Seat)**

Seat is available with inside of frame front 2 1/2", 4" or 5" narrower than outside Rear Seat Width **A**. Measure inside of front frame tube to inside of opposite front frame tube.

**J Rear Wheel Spacing**

Measure from outside of back post to inside top of rear tire. With 0° or 2° camber, choose from 1" to 2". With all other cambers, choose from 3/4" to 2".

**K Camber**




Choose 0°, 2°, 4°, 6°, 8°, 12°, 15° or 18°.

**L Front Angle**

Measure from frame front to floor. Choose 70°, 75°, 80°, 85° or 90°. 85° Front Angle shown.


**V V-Front End (Optional)**

Measure inside of front frame tube to inside of opposite front frame tube 2-1/2" above Footrest.



**Caster Pin Locks**

When Caster Pin Locks are ordered, TiLite's traditional caster barrel and front fork will be used.



Dealer Information: [Please Complete Dealer Info On All Faxed Pages]				Ship To:			
Dealer Name:		Ordered By:		Name:			
Address:				Address:			
City:		State:	Zip Code:	City:		State:	Zip Code:
Phone Number:		Fax Number:		Phone Number:		Fax Number:	

**Order Information**

Account Number: \_\_\_\_\_

PO Number: \_\_\_\_\_

Customer Name: \_\_\_\_\_

Shipping Method: \_\_\_\_\_

**TiLite Information**

Order Date: \_\_\_\_\_

Ship Date: \_\_\_\_\_

Order Number: \_\_\_\_\_

**A Rear Seat Width (Outside Measurement)**  
 12"  13"  14"  15"  16"  17"  18"  19"  20"

**B Seat Depth**  
 12"  13"  14"  15"  16"  17"  18"  19"  20"  
 Custom Frame Depth \_\_\_\_\_

**C Front Seat Height**  
 16"  16-1/2"  17"  17-1/2"  18"  18-1/2"  
 19"  19-1/2"  20"  20-1/2"  21"

**D Rear Seat Height**  
 14"  14-1/2"  15"  15-1/2"  16"  16-1/2"  
 17"  17-1/2"  18"  18-1/2"  19"  19-1/2"  
 20"

**E Seat To Footrest** Must be at least 2" shorter than Front Seat Height **C**.  
 Measurement 13" or shorter requires an Angle Adjustable High Mount Footrest.

13-1/2"  14"  14-1/2"  15"  15-1/2"  16"  
 16-1/2"  17"  17-1/2"  18"  18-1/2"  19"

**Angle Adjustable High Mount Footrest**  
 7"-9"  9"-11"  11"-13"

**F Adjustable Seat Back Height w/o Push Handles**  
 8-1/2" - 12-1/2"  12-1/2" - 16-1/2"  16-1/2" - 20-1/2"  
 Set at: \_\_\_\_\_ (Use 1/2" increments)

**Adjustable Seat Back Height w/Push Handles**  
 9-1/2" - 12-1/2"  13-1/2" - 16-1/2"  17-1/2" - 20-1/2"  
 Set at: \_\_\_\_\_ (Use 1/2" increments)

**G Back Angle**  
 80°  83°  86°  89°  92°  95°  98°  101°

**H Center of Gravity**  
 1"  1-1/4"  1-1/2"  1-3/4"  
 2"  2-1/4"  2-1/2"  2-3/4"  
 3"  3-1/4"  3-1/2"  3-3/4"  
 4"  4-1/4"  4-1/2"  4-3/4"  
 5"  5-1/4"  5-1/2"  5-3/4"  
 6"

**I Footrest Width - ZR and ZRA without "C" Package (Select One)**

Rear Seat Width A (Outside Measurement)	Footrest Width (Inside Measurement)		
	2 1/2" Narrower than Rear Seat Width	4" Narrower than Rear Seat Width	6" Narrower than Rear Seat Width
12"	<input type="radio"/> 9 1/2"	<input type="radio"/> 8"	
13"	<input type="radio"/> 10 1/2"	<input type="radio"/> 9"	
14"	<input type="radio"/> 11 1/2"	<input type="radio"/> 10"	
15"	<input type="radio"/> 12 1/2"	<input type="radio"/> 11"	<input type="radio"/> 9"
16"	<input type="radio"/> 13 1/2"	<input type="radio"/> 12"	<input type="radio"/> 10"
17"	<input type="radio"/> 14 1/2"	<input type="radio"/> 13"	<input type="radio"/> 11"
18"	<input type="radio"/> 15 1/2"	<input type="radio"/> 14"	<input type="radio"/> 12"
19"	<input type="radio"/> 16 1/2"	<input type="radio"/> 15"	<input type="radio"/> 13"
20"	<input type="radio"/> 17 1/2"	<input type="radio"/> 16"	<input type="radio"/> 14"

**J Front Seat Width - ZR and ZRA with "C" Package (Select One)**

Rear Seat Width A (Outside Measurement)	Front Seat Width (Inside Measurement)		
	2 1/2" Narrower than Rear Seat Width	4" Narrower than Rear Seat Width	5" Narrower than Rear Seat Width
12"	<input type="radio"/> 9 1/2"	<input type="radio"/> 8"	<input type="radio"/> 7"
13"	<input type="radio"/> 10 1/2"	<input type="radio"/> 9"	<input type="radio"/> 8"
14"	<input type="radio"/> 11 1/2"	<input type="radio"/> 10"	<input type="radio"/> 9"
15"	<input type="radio"/> 12 1/2"	<input type="radio"/> 11"	<input type="radio"/> 10"
16"	<input type="radio"/> 13 1/2"	<input type="radio"/> 12"	<input type="radio"/> 11"
17"	<input type="radio"/> 14 1/2"	<input type="radio"/> 13"	<input type="radio"/> 12"
18"	<input type="radio"/> 15 1/2"	<input type="radio"/> 14"	<input type="radio"/> 13"
19"	<input type="radio"/> 16 1/2"	<input type="radio"/> 15"	<input type="radio"/> 14"
20"	<input type="radio"/> 17 1/2"	<input type="radio"/> 16"	<input type="radio"/> 15"

**K Rear Wheel Spacing** 0° or 2° camber must choose between 1" and 2".  
 3/4"  1"  1-1/4"  1-1/2"  1-3/4"  2"

**L Camber**  
 0°  2°  4°  6°  8°  12°  15°  18°  
**Additional Camber Tube**  
 0°  2°  4°  6°  8°  12°  15°  18°

**M Front Angle**  
 70°  75°  80°  85°  90°

**N V-Front End (ZR and ZRA "C" Package Only) Optional (Inside Measurement)**  
 7"  7-1/2"  8"  8-1/2"  9"  9-1/2"  
 10"  10-1/2"  11"  11-1/2"  12"  12-1/2"  
 13"  13-1/2"  14"  14-1/2"  15"  15-1/2"  
 16"  16-1/2"  17"  17-1/2"  18"



1426 East Third Avenue | Kennewick, Washington 99337  
 509.586.6117 Tel | 800.545.2266 Toll-Free  
 509.586.2413 Fax | 866.586.2413 Toll-Free Fax  
 Running low on order forms? Conveniently print them at [www.tilite.com](http://www.tilite.com)

Prices, standard features, options and accessories are subject to change without notice. [11/04]