



Pain Management October 2008

1: Gjertsen JE, Engesaeter LB, Furnes O, Havelin LI, Steindal K, Vinje T, Fevang JM.

The Norwegian Hip Fracture Register: experiences after the first 2 years and 15,576 reported operations.

Acta Orthop. 2008 Oct;79(5):583-93.

PMID: 18839363 [PubMed - indexed for MEDLINE]

2: Lacout A, Rousselin B, Pelage JP.

CT and MRI of spine and sacroiliac involvement in spondyloarthropathy.

AJR Am J Roentgenol. 2008 Oct;191(4):1016-23.

PMID: 18806136 [PubMed - indexed for MEDLINE]

3: Linklater GT, Chambers WA.

Persistent pain relief following epidural analgesia for cancer pain.

Anesthesia. 2008 Oct;63(10):1152. No abstract available.

PMID: 18821910 [PubMed - indexed for MEDLINE]

4: Taboada M, Rodríguez J, Bermudez M, Valiño C, Ulloa B, Aneiros F, Gude F, Cortés J, Alvarez J, Atanassoff PG.

A "new" automated bolus technique for continuous popliteal block: a prospective, randomized comparison with a continuous infusion technique.

Anesth Analg. 2008 Oct;107(4):1433-7.

PMID: 18806065 [PubMed - indexed for MEDLINE]

5: Mowafi HA, Ismail SA.

Melatonin improves tourniquet tolerance and enhances postoperative analgesia in patients receiving intravenous regional anesthesia.

Anesth Analg. 2008 Oct;107(4):1422-6.

PMID: 18806063 [PubMed - indexed for MEDLINE]

6: Capdevila X, Jaber S, Pesonen P, Borgeat A, Eledjam JJ.

Acute neck cellulitis and mediastinitis complicating a continuous interscalene block.

Anesth Analg. 2008 Oct;107(4):1419-21.

PMID: 18806062 [PubMed - indexed for MEDLINE]

- 7: Grider JS, Brown RE, Colclough GW.
Perioperative management of patients with an intrathecal drug delivery system for chronic pain.
Anesth Analg. 2008 Oct;107(4):1393-6.
PMID: 18806058 [PubMed - indexed for MEDLINE]
- 8: Hong D, Flood P, Diaz G.
The side effects of morphine and hydromorphone patient-controlled analgesia.
Anesth Analg. 2008 Oct;107(4):1384-9.
PMID: 18806056 [PubMed - indexed for MEDLINE]
- 9: Grande LA, O'Donnell BR, Fitzgibbon DR, Terman GW.
Ultra-low dose ketamine and memantine treatment for pain in an opioid-tolerant oncology patient.
Anesth Analg. 2008 Oct;107(4):1380-3.
PMID: 18806055 [PubMed - indexed for MEDLINE]
- 10: Hackworth RJ, Tokarz KA, Fowler IM, Wallace SC, Stedje-Larsen ET.
Profound pain reduction after induction of memantine treatment in two patients with severe phantom limb pain.
Anesth Analg. 2008 Oct;107(4):1377-9.
PMID: 18806054 [PubMed - indexed for MEDLINE]
- 11: Terblanche N, Maxwell C, Keunen J, Carvalho JC.
Obstetric and anesthetic management of severe congenital myasthenia syndrome.
Anesth Analg. 2008 Oct;107(4):1313-5.
PMID: 18806046 [PubMed - indexed for MEDLINE]
- 12: Engelhardt T, Zaarour C, Naser B, Pehora C, de Ruiter J, Howard A, Crawford MW.
Intraoperative low-dose ketamine does not prevent a remifentanil-induced increase in morphine requirement after pediatric scoliosis surgery.
Anesth Analg. 2008 Oct;107(4):1170-5.
PMID: 18806023 [PubMed - indexed for MEDLINE]
- 13: Malandrini A, Orrico A, Gaudiano C, Gambelli S, Galli L, Berti G, Tegazzin V, Dotti MT, Federico A, Sorrentino V.
Muscle biopsy and in vitro contracture test in subjects with idiopathic HyperCKemia.
Anesthesiology. 2008 Oct;109(4):625-8.
PMID: 18813041 [PubMed - indexed for MEDLINE]
- 14: Leslie K, Myles PS, Chan MT, Paech MJ, Peyton P, Forbes A, McKenzie D; ENIGMA Trial Group.
Risk factors for severe postoperative nausea and vomiting in a randomized trial of nitrous oxide-based vs nitrous oxide-free anaesthesia.
Br J Anaesth. 2008 Oct;101(4):498-505. Epub 2008 Aug 5.
PMID: 18682411 [PubMed - indexed for MEDLINE]

15: Riazi S, Carmichael N, Awad I, Holtby RM, McCartney CJ.
Effect of local anaesthetic volume (20 vs 5 ml) on the efficacy and respiratory
consequences of ultrasound-guided interscalene brachial plexus block.
Br J Anaesth. 2008 Oct;101(4):549-56. Epub 2008 Aug 4.
PMID: 18682410 [PubMed - indexed for MEDLINE]

16: Yeh YC, Lin TF, Lin FS, Wang YP, Lin CJ, Sun WZ.
Combination of opioid agonist and agonist-antagonist: patient-controlled
analgesia requirement and adverse events among different-ratio morphine and
nalbuphine admixtures for postoperative pain.
Br J Anaesth. 2008 Oct;101(4):542-8. Epub 2008 Jul 17.
PMID: 18640992 [PubMed - indexed for MEDLINE]

17: Opisso E, Borau A, Rodríguez A, Hansen J, Rijkhoff NJ.
Patient controlled versus automatic stimulation of pudendal nerve afferents to
treat neurogenic detrusor overactivity.
J Urol. 2008 Oct;180(4):1403-8. Epub 2008 Aug 16.
PMID: 18710774 [PubMed - indexed for MEDLINE]

18: Capito C, Echaieb A, Lortat-Jacob S, Thibaud E, Sarnacki S, Nihoul-Fékété C.
Pitfalls in the diagnosis and management of obstructive uterovaginal duplication:
a series of 32 cases.
Pediatrics. 2008 Oct;122(4):e891-7. Epub 2008 Sep 29.
PMID: 18824497 [PubMed - indexed for MEDLINE]

19: Heller L, Kowalski AM, Wei C, Butler CE.
Prospective, randomized, double-blind trial of local anesthetic infusion and
intravenous narcotic patient-controlled anesthesia pump for pain management after
free TRAM flap breast reconstruction.
Plast Reconstr Surg. 2008 Oct;122(4):1010-8.
PMID: 18827631 [PubMed - indexed for MEDLINE]