



## **Suicide and Suicide Prevention January 2008**

1: Akiskal H.

Targeting suicide prevention to modifiable risk factors: has bipolar II been overlooked?

Acta Psychiatr Scand. 2007 Dec;116(6):395-402. No abstract available.

PMID: 17997720 [PubMed - indexed for MEDLINE]

2: Conner KR, Britton PC, Sworts LM, Joiner TE Jr.

Suicide attempts among individuals with opiate dependence: the critical role of belonging.

Addict Behav. 2007 Jul;32(7):1395-404. Epub 2006 Nov 13.

PMID: 17097813 [PubMed - indexed for MEDLINE]

3: Agerbo E.

High income, employment, postgraduate education, and marriage: a suicidal cocktail among psychiatric patients.

Arch Gen Psychiatry. 2007 Dec;64(12):1377-84.

PMID: 18056545 [PubMed - indexed for MEDLINE]

4: Reed J.

Better data gathering to prevent suicide. Expanding a national reporting system will enable stakeholders to craft better suicide prevention programs.

Behav Healthc. 2007 Jul;27(7):14, 19. No abstract available.

PMID: 18027612 [PubMed - indexed for MEDLINE]

5: Draper J.

Preventing suicide minute by minute.

Behav Healthc. 2007 Jun;27(6):29-31. No abstract available.

PMID: 18020178 [PubMed - indexed for MEDLINE]

6: Joiner TE Jr, Sachs-Ericsson NJ, Wingate LR, Brown JS, Anestis MD, Selby EA. Childhood physical and sexual abuse and lifetime number of suicide attempts: a persistent and theoretically important relationship.

Behav Res Ther. 2007 Mar;45(3):539-47. Epub 2006 Jun 12.

PMID: 16765909 [PubMed - indexed for MEDLINE]

7: Doyle L, Keogh B, Morrissey J.

Caring for patients with suicidal behaviour: an exploratory study.

Br J Nurs. 2007 Oct 25-Nov 7;16(19):1218-22.

PMID: 18026026 [PubMed - indexed for MEDLINE]

8: Salari S.

- Patterns of intimate partner homicide suicide in later life: strategies for prevention.  
Clin Interv Aging. 2007;2(3):441-52.  
PMID: 18044194 [PubMed - indexed for MEDLINE]
- 9: Torres AR, de Abreu Ramos-Cerqueira AT, Torresan RC, de Souza Domingues M, Hercos AC, Guimarães AB.  
Prevalence and associated factors for suicidal ideation and behaviors in obsessive-compulsive disorder.  
CNS Spectr. 2007 Oct;12(10):771-8.  
PMID: 17934382 [PubMed - indexed for MEDLINE]
- 10: Briggs S, Webb L, Buhagiar J, Braun G.  
Maytree: A respite center for the suicidal: an evaluation.  
Crisis. 2007;28(3):140-7.  
PMID: 17992827 [PubMed - indexed for MEDLINE]
- 11: Baldessarini RJ, Tondo L, Strombom IM, Dominguez S, Fawcett J, Licinio J, Oquendo MA, Tollefson GD, Valuck RJ, Tohen M.  
Ecological studies of antidepressant treatment and suicidal risks.  
Harv Rev Psychiatry. 2007 Jul-Aug;15(4):133-45. Review.  
PMID: 17687708 [PubMed - indexed for MEDLINE]
- 12: Qin P.  
Suicide risk in relation to level of urbanicity--a population-based linkage study.  
Int J Epidemiol. 2005 Aug;34(4):846-52. Epub 2005 Apr 25.  
PMID: 15851392 [PubMed - indexed for MEDLINE]
- 13: Kamath P, Reddy YC, Kandavel T.  
Suicidal behavior in obsessive-compulsive disorder.  
J Clin Psychiatry. 2007 Nov;68(11):1741-50.  
PMID: 18052568 [PubMed - indexed for MEDLINE]
- 14: Fazel S, Grann M, Ahlner J, Goodwin G.  
Suicides by violent means in individuals taking SSRIs and other antidepressants: a postmortem study in Sweden, 1992-2004.  
J Clin Psychopharmacol. 2007 Oct;27(5):503-6.  
PMID: 17873685 [PubMed - indexed for MEDLINE]
- 15: Kaplan MS, Huguet N, McFarland BH, Newsom JT.  
Suicide among male veterans: a prospective population-based study.  
J Epidemiol Community Health. 2007 Jul;61(7):619-24. Erratum in: J Epidemiol Community Health. 2007 Aug;61(8):751.  
PMID: 17568055 [PubMed - indexed for MEDLINE]
- 16: Pitman A.  
Policy on the prevention of suicidal behaviour; one treatment for all may be an unrealistic expectation.  
J R Soc Med. 2007 Oct;100(10):461-4. Review.  
PMID: 17911128 [PubMed - indexed for MEDLINE]
- 17: Hampton T.  
Research, law address veterans' suicide.  
JAMA. 2007 Dec 19;298(23):2732. No abstract available.

PMID: 18165662 [PubMed - indexed for MEDLINE]

18: Arun M, Yoganarasimha K, Kar N, Palimar V, Mohanty MK.  
A comparative analysis of suicide and parasuicide.  
Med Sci Law. 2007 Oct;47(4):335-40.  
PMID: 18069540 [PubMed - indexed for MEDLINE]

19: Bell JB, Nye EC.  
Specific symptoms predict suicidal ideation in Vietnam combat veterans with  
chronic post-traumatic stress disorder.  
Mil Med. 2007 Nov;172(11):1144-7.  
PMID: 18062386 [PubMed - indexed for MEDLINE]

20: Scoville SL, Gubata ME, Potter RN, White MJ, Pearse LA.  
Deaths attributed to suicide among enlisted U.S. Armed Forces recruits,  
1980-2004.  
Mil Med. 2007 Oct;172(10):1024-31.  
PMID: 17985760 [PubMed - indexed for MEDLINE]

21: Lester D, Walker RL.  
Hopelessness, helplessness, and haplessness as predictors of suicidal ideation.  
Omega (Westport). 2007;55(4):321-4.  
PMID: 18027646 [PubMed - indexed for MEDLINE]

22: McAuliffe N, Perry L.  
Making it safer: a health centre's strategy for suicide prevention.  
Psychiatr Q. 2007 Dec;78(4):295-307.  
PMID: 17879162 [PubMed - indexed for MEDLINE]

23: Ray WA, Hall K, Meador KG.  
Racial differences in antidepressant treatment preceding suicide in a Medicaid  
population.  
Psychiatr Serv. 2007 Oct;58(10):1317-23.  
PMID: 17914009 [PubMed - indexed for MEDLINE]

24: Stallones L, Leff M, Canetto SS, Garrett CJ, Mendelson B.  
Suicidal ideation among low-income women on family assistance programs.  
Women Health. 2007;45(4):65-83.  
PMID: 18032168 [PubMed - indexed for MEDLINE]